



DCBL/ENV/MoEF&CC/ SANGODA MINES/EC/COMPL/112025/01

Date: 06.11.2025

To.

The Additional Principal Chief Conservator of Forests

Ministry of Environment, Forest & Climate Change, Regional Office (West Central Zone), Ground Floor, East Wing, New Secretariat Building, Civil Lines, Nagpur - 440001.

Sub: Half yearly Compliance Report of Environmental Clearance issued for Sangoda Limestone Mine (ML Area: 154.70 Ha) located at Sangoda Village, Tq. Korpana, in Chandrapur Distt., in Maharashtra for the period of April 2025 to September 2025.

Ref: 1. Environmental Clearance F. No. - J-11015/213/2006- IA. II(M), Date: 22.05.2007 Transfer of EC vide F. No. - J-11015/213/2006- IA. II(M), Dated 06.09.2021

Dear Sir,

With respect to the subject referred above, we are submitting herewith the point wise half yearly compliance of above referred Environmental Clearance for our Sangoda Limestone Mines (ML Area: 154.70 Ha) for the period of April 2025 to September 2025.

Submitted for your kind information and record please.

Thanking you

Yours Faithfully,

For M/s Dalmia Cement (Bharat) Ltd.

Sangoda Limestone Mine

(Pranab Kumar Nayak)

Authorized Signatory

- CC: 1. The Regional Director, Central Pollution Control Board (CPCB), Regional Office, Survey No, 110, Dhankude Multipurpose Hall, Baner Road, Baner, Pune, Maharashtra - 411045.
 - The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. CineMax Theatre, Sion (E), Mumbai - 400 022.
 - 3. Regional Officer, Maharashtra Pollution Control Board (MPCB), 1st Floor, Udyog Bhawan, Railway Station Road, Chandrapur - 442401

11/29/25, 8:32 PM Home Page

| Your (Half Yearly Compliance Report) has been Submitted with following details | | | | |
|--------------------------------------------------------------------------------|-------------------------------------|--|--|--|
| Proposal No | IA/MH/MIN/223306/2021 | | | |
| Compliance ID | 406180978 | | | |
| Compliance Number(For Tracking) | EC/M/COMPLIANCE/406180978/2025 | | | |
| Reporting Year | 2025 | | | |
| Reporting Period | 01 Dec(01 Apr - 30 Sep) | | | |
| Submission Date | 29-11-2025 | | | |
| RO/SRO Name | Shri Senthil Kumar Sampath | | | |
| RO/SRO Email | agmu156@ifs.nic.in | | | |
| State | MAHARASHTRA | | | |
| RO/SRO Office Address | Integrated Regional Offices, Nagpur | | | |

ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

Ref: Environmental Clearance: Environment Clearance No. - J-11015/213/2006- IA. II(M), Date: 22.05.2007 & EC Transfer Dated 06.09.2021 **Name of the Industry:** Sangoda Limestone Mines, Dalmia Cement (Bharat) Limited

EC Details – Environmental Clearance for Sangoda Limestone Mine at Tq. Korpana, in Chandrapur Distt., in Maharashtra.

Compliance Period - April 2025 to September 2025

A. Specific Conditions:

| | specific conditions. | |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (i) (ii) | Topsoil, should be stacked properly with proper slope at ear marked site (s) with adequate measures and should be used for reclamation and rehabilitation of mined out area External OB dumps and other wastes should be stacked | After acquisition of the Murli Industries Ltd., we have stated the mining recently. The top soil regenerated during the mine's operation will be stacked as per Mining plan. The topsoil in the mining area striped and preserved along the mine lease |
| | at earmarked sites only and should not be kept active for long period till its use for backfilling. Toe walls around the waste dumps shall be made to ensure and to prevent erosion and surface runoff. The total height of the dumps shall not exceed 30 m, each stage should preferably be of 10 m. Overall slope of the dump shall not exceed 28°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas use of geo textiles shall be undertaken for stabilization of the dumps. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests on six monthly basis. | boundary. The height of the dump will be maintained below 30 m at 10 m each stage. The overall slope of the dump will be maintained below 28°. Native species will be planted on the OB dump to prevent the soil erosion and surface runoff. Plantation is being carried out for stability of dumps. The top soil will be back filled for reclamation stage of mining. Monitoring and management of the vegetation will be done till the vegetation become self-sustaining. The compliance status is being submitted to MoEF&CC along with half yearly compliance report. |
| (iii) | Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. | Catch drains and siltation ponds provided to arrest the silt and sediment flow from the mines working area. The collected water will be utilized for the Mines operation, Greenbelt development & plantation and dust suppression on roads. The drains will be regularly desilted at regular intervals and maintained properly. |

| (iv) | Garland drain (size, gradient and length) shall be constructed for both mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals | Garland drain will be constructed for mine pit & sump capacity will be designed by considering 50 % safety margin based on IMD data of rain fall in the region. Sedimentation pits will be constructed at the corners of the garland drains and desilted at regular intervals. |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (v) | Plantation shall be raised along the mine lease area including OB dumps which will be reclaimed by green belt / afforestation in consultation with the local DFO / Agriculture Department around mine lease area etc. The density of the trees should be around 2500 plants per ha. | After acquisition of the Murli Industries Ltd., we have stated the mining activities recently. The plantation and green belt development activity started along the ML boundary. Plantation will be done at OB dumps with maintaining density of 2500 plants per ha. |
| (vi) | The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. | Rainwater Harvesting injection wells are constructed in nearby community to recharge the ground water, in addition to this nearby village ponds are deepened to store more rainwater and also recharge the ground water to enhance the water table. Photographs of rain Water Harvesting structures and village pond is enclosed as Annexure-I. |
| (vii) | Drilling and blasting shall be by dust extractors and wet drilling. | Drilling and blasting will be carried out by dust extractors. Wet drilling method is being and will be imparted for drilling during mining operation |
| (viii) | Ground water table shall not be encountered during mining operations. Mine working will be restricted to above water table. Prior approval of MOEF shall be taken in case mining intersects ground water table. | As per IBM approved mining plan, ground water table will not be encountered during mining operations. Mine working will be restricted to above water table. Prior approval will be taken from MoEF&CC in case we intersect the ground water table. |
| (ix) | Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new peizometers during the mining operation. The monitoring should be carried out two times in a year - pre-monsoon (April-May), postmonsoon (November) and the data thus collected may be sent regularly to MOEF, Central Ground Water Authority and Regional Director Central Ground water Board. | Regular monitoring of ground water level and quality is being conducted in and around mining lease area. Construction of piezometer at mines lease area is under progress. Pre-monsoon and post monsoon Ground water quality monitoring reports is being submitted to MoEF&CC, CGWA, Regional Director, CGWB. Ground water quality report is enclosed as Annexure-II |

| (x) | Existing ecological status of the project area shall be conserved and protected. The project proponent should take all possible precautionary measures during mining operation for conservation and protection of endangered fauna (Schedule-I), if any, spotted in the project area. Action plans for the same shall be prepared in consultation with wildlife department along with allocation of funds for this purpose and shall be submitted to R.O. of the Ministry at Bhopal | There is no presence of endangered fauna (Schedule-I) in and around the ML area of Sangoda limestone mine |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (xi) | Permission from the competent authority should be obtained for drawl of ground water if any, required for the project. | Ground water NOC obtained from CGWB vide NOC No.: CGWA/NOC/MIN/MH/2025/4849/R-1/1 dated 11.07.2025. Copy of NOC is enclosed as Annexure-III . |
| (xii) | Suitable rainwater harvesting measures on long- term basis shall be planned and implemented in consultation with Regional Director, CGWB. | Rainwater Harvesting injection wells are constructed in nearby community to recharge the ground water, in addition to this nearby village ponds are deepened to store more rainwater and also recharge the ground water to enhance the water table. Photographs of rain Water Harvesting structures and village pond is enclosed as Annexure-I. |
| (xiii) | An 50m barrier of shale between the ML area and the river shall be no mining zone. The barrier shall be afforested with plantation to prevent inundation of the area. | Noted. An 50m barrier of shale between the ML area and the river is being maintained as no mining zone. The barrier will be afforested with plantation to prevent inundation of the area. During last compliance period, we have planted 2850 Nos of native plant species in Mine Lease area |
| (xiv) | The company shall engage a doctor, who is trained in occupational health surveillance. | Company has established the dispensary at the plant site with medical practitioner along with the nursing staff. Company ambulance is available to shift the casualty in case of serious condition or Emergency. For occupational health and safety measures periodical health check-up is being carried out by medical practitioner. |
| (xv) | At the end of the mine life. The mined-out area should be backfilled to the extent possible, levelled and reclaimed by plantations. | At the end of the mine life, the mined-out area will be backfilled and reclaimed by plantation as per the IBM approved mining plan. |
| (xvi) | Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded | Only PUC certified vehicles will be used for mining excavation and transportation. Vehicles transporting ore will be covered through Tarpaulin to control dust emission. |

| (xvii) | The study report of socioeconomic profile including the | Complied with |
|---------|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | cropping pattern for 38 villages in buffer zone shall be | Company has been recovered from Insolvency through National Company Law |
| | submitted within one year from the date of issue of | Tribunal (NCLT) route, the older documents are not available. |
| | environmental clearance and submitted to the Ministry | |
| | of Environment & Forests. | |
| (xviii) | Dimension of the retaining wall at the toe of dumps and | Dimension of the retaining wall at the toe of dumps and OB benches within the |
| | OB benches within the mine to check run-off and siltation | mine to check run-off and siltation will be taken based on the rainfall data history |
| | should be based on the rainfall data. | in the region. |
| (xx) | Sewage treatment plant should be installed for the | Domestic waste water i.e. office toilets will be disposed-off in Septic tank via soak |
| | colony. ETP should also be provided for workshop and | pit. All the equipment and HEMM are outsourced and maintenance, repairing is |
| | mineral separation plant wastewater. | being done at designated workshop only. |
| (xxi) | A Final Mine Closure Plan along with details of Corpus | A Final Mine Closure Plan along with details of Corpus Fund will be submitted to |
| | Fund should be submitted to the ministry of | the ministry of Environment & Forests 5 years in advance of final mine closure |
| | Environment & Forests 5 years in advance of final mine | for approval. |
| | closure for approval. | |
| (xxii) | The company shall pay compensation to the land ousters | Complied with. |
| | as per the land Acquisition Act/ or as decided by the State | |
| | Government | |
| | General conditions | |
| (i) | No change in mining technology and scope of working | Noted and will be followed. |
| | shall be made without prior approval of the Ministry of | |
| | Environment d Forests. | |
| (ii) | No change in the. calendar plan including excavation, | Noted and will be followed. |
| | quantum of mineral limestone ore and waste shall be | |
| | made | |
| (iii) | Conservation measures for protection of flora and fauna, | Noted and will be followed. |
| | in the core & buffer zone shall be drawn up in | |
| | consultation with the local forest and wildlife | |
| | deportment | |
| (iv) | Four ambient air quality-monitoring stations shall be | We have established four ambient air quality-monitoring stations in the core |
| | established in the core zone as well as in the buffer zone | zone as well as in the buffer zone for monitoring of RPM, SPM, SO2, NO2 by |
| | for RPM, SPM, SO2, NOx monitoring. Location of the | considering the metrological data, topographical features and environmentally |
| | stations should be decided based on the meteorological | and ecologically sensitive targets and frequency of monitoring in consultation |
| | data, topographical features and environmentally and | with the MPCB. |
| | ecologically sensitive targets and frequency of | |
| | | |

| | monitoring should be undertaken in consultation with the State Pollution Control Board | Ambient Air Quality Monitoring data from Apr-25 to Sep-25 is enclosed as Annexure-IV. |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (v) | Data on ambient air quality (RPM, SPM, S02, NOx) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months | We have installed Continuous Ambient Air Quality Monitoring Station (CAAQMs) in Mine Lease area for continuous monitoring of Environmental Parameters. Photograph of CAAQMs Station is enclosed as Annexure-V. Monitoring results of ambient air quality (RPM, SPM, SO2, NO2) is being submitted to MPCB on Monthly basis and to the Integrated Regional office of MoEF&CC, Nagpur, Regional Office of CPCB, Pune along with the half yearly compliance report. Latest monthly monitoring report is enclosed as Annexure-VII |
| (vi) | Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained. | Water sprinkling is being and will be done at haul roads, loading and unloading points and material transfer points to control the fugitive dust emission. |
| (vii) | Measures shall be taken for control of noise levels below 85 dB(A) in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with ear plugs / muffs. | We have taken all the control measured to maintain the Noise Level below 85 dB in the work environment. The ambient noise level monitoring data from Apr-25 to Sep-25 is enclosed as Annexure-VI. Required PPE like ear plug and Ear muffs is being provided to the workmen engaged in the operation of HEMM. |
| (viii) | Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19.05.1993 and 31.12.1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents. | There will be no generation of Trade effluent from mining process. The hazardous waste generated from the Mines operation will be dispose / recycled as per Hazardous and Other Waste management rule. All the equipment and HEMM are outsourced and maintenance, repairing is being done at designated workshop only. |
| (ix) | Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. | PPEs i.e. Dust Mask is being provided to the workers working in the dusty area. Regular trainings & information are providing to workers on Health and safety awareness. |
| (x) | Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. | Occupational Health Surveillance program of the workers is being carried out by medical practitioner at plant site to observe any contractions due to exposure to dust and taking corrective measures. |

| (xi) | A separate environmental management cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization. | A separate environmental management cell comprising of qualified and experienced staff is established under the control of Senior Executive who report to Unit head. |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (xii) | The project authorities shall inform to the Regional Office located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work. | Complied with. |
| (xiii) | The funds earmarked for environmental protection measures shall be kept in separate account and should not be diverted for other purpose. Year wise expenditure shall be reported to the Ministry and its Regional Office located at Bhopal. | Funds earmarked for environmental protection measures will be kept in separate account and will not be diverted for other purpose. Year wise EMP expenditures details enclosed as Annexure-VIII . |
| (xiv) | The project authorities shall inform to the Regional Office located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work | Noted, Complied with |
| (xv) | The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports | Noted and we will extend full cooperation to the officials of Regional office during their visit. |
| (xvi) | A copy of clearance letter will be marked to concerned Panchayat/local NGO, if any, from whom suggestion/representation has been received while processing the proposal. | Complied with |
| (xvii) | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days | Complied with |
| (xviii) | The project authorities should advertise at least n two local newspaper widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the letter has been accorded environmental clearance and a copy of the clearance | Complied with Company has been recovered from Insolvency through National Company Law Tribunal (NCLT) route, the older documents are not available. |

| | letter is available with the State pollution Control Board | |
|--------|------------------------------------------------------------|--------------------------|
| | and also at web site of the Ministry of Environment and | |
| | Forests at- http://envfor.nic.in and a copy of the same | |
| | shall be forwarded to the Regional Office of this Ministry | |
| | located Bhopal. | |
| (xx) | The Ministry or any other competent authority may | |
| | alter/modify the above conditions or stipulate any | |
| | further condition in the interest of environment | |
| | protection. | |
| (XXI) | Failure to comply with any of the conditions mentioned | Noted & will be Complied |
| | above may result in withdrawal of this clearance and | |
| | attract action under the provisions of Environment | |
| | (Protection) Act, 1986 | |
| (XXII) | The above conditions will be enforced inter-alia, under | Noted & will be Complied |
| | the provisions of the Water Prevention (Control of | |
| | Pollution) Act, 1974, the Air (Prevention and Control of | |
| | pollution) Act, 1981 the- Environment (Protection) Act, | |
| | 1986 and the Public Liability insurance Act, 1991 along - | |
| | with their amendments and rules. | |

RAINWATER HARVESTING MEASURES



Naranda Village (RWH-1)




Naranda Village (RWH-2)



Naranda Village (RWH-5)



Naranda Village (RWH-3)



Plant Site (RWH-6)



Naranda Village (RWH-4)









Pimpri Village (RWH-7) Pimpri Village (RWH-8)

Pimpri Village (RWH-9)

Loni Village (RWH-10)



Bori Navegaon Vill. (RWH-11)



Kadholi Kh Vill.(RWH-12)



Wanoja Village (RWH-13) Wanoja Village (RWH-14)



Zutting Village (RWH-15)



Zutting Village (RWH-16)



Zutting Village (RWH-17)



Zutting Village (RWH-18)



Zutting Village (RWH-19)



Zutting Village (RWH-20)

DEEPENING OF POND NEAR NARANDA VILLAGE







Dayal Estate, National Highway No.B, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabat-382426

Mobile No 1+91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/13 Dalmia Cement (Bharat) Ltd. Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda, Tehsil Korpano, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Lab/PN/436E/134/13

Sample Drawn By: Sample Type:

Shallesh Pandey Ground Water

Sample Description:

Sample Condition:

GW of Sangoda Block -03 (Core Zone)

Sample Quantity: 5.5 L

Satisfactory

Sampling Date:

17/05/2025 Sample Receipt Date: 19/05/2025

Analysis Start Date: Analysis End Date:

19/05/2025 24/05/2025 Sampling Method: GGMPL/WI/27A

Packing:

Sealed

| Sr.No | Parameters | Residts | Unit | Toot Method | 44 | ~ |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------|--------------------------|---------|------------------|
| | The state of the s | CAU CAUCA | | Test Method | AL | PL. |
| 1 | Alkalinity as CaCO3 | 372.00 | mg/L | APHA 24th Edn 2320 B | 200 | 500 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=2) | mg/L | IS 3025-Part 44 | NS | NS - |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL-5) | mg/L | APHA 24th Edn 5220 B | NS | N5 |
| 4 | Chloride | 114.96 | mg/L | 15 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 1163.0 | uS/cm | IS 3025- Part 14 | NS | MS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | (\$ 3025- Part 39 | NS | NS |
| 7 | pH at 25 °C | 7.47 | 54 | IS 3025- Part 11 | 6.5-8.5 | No relaxation |
| В | Sulphate | 81.05 | mg/L | APHA 24th Edn 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 702.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 6.00 | mg/L | APHA 24th Edn 2540 D | NS | NS |
| 11 | Total Hardness as CaCO3 | 466.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 8 | NS | NS |

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumowet

Page No: 1/2

This rest report document no GGBPLINT, Willis shall not be represented accept in full, without written opposed from Co Osean Mechanisms For, Ltd. Text smulter furnishes benefit to the complex root red Report control less This test report document no GGBM, NY, Will shall not be represented except in full, without written appeared from Co-Chewn Mechanisms Pin. Ltd. Data season the report to the pomple received Report Learnest less excepted to the internation of previous without price permission. Take deadings of our residence is also included discount Endougness and previous and for a provided by the client set to chief permission. The complete control of the co



Dayal Estata, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedebed-382426 Gujarat, INDIA

Mobile No : +91-7069072001

Email Id : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/13 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Lab/PN/435E/134/13 Sampling Date: 17/05/2025 Sample Drawn By: Shallesh Pandey Sample Receipt Date: 19/05/2025 Sample Type: Ground Water Analysis Start Date: 19/05/2025 Sample Description: GW of Sangoda Block -03 (Core Zone) Analysis End Date: 24/05/2025 Sample Quantity: 5.5 L Sampling Method: GGMPL/WIJ27A Sample Condition: Satisfactory Packing: Sealed.

| Sr.No | Parameters | Results | Unit | Test Method | AL. | PL |
|-------|--------------|----------------|-------|--------------------------|-------|-------------------|
| 13 | BiCarbonates | 372 | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 15 (| Cadmium | 8QL (QL=0.002) | mg/L | GGMPL/SOP/AV & WW/46 | 0.003 | No relaxation |
| 16 (| Cobalt | BQL (QL-0.02) | mg/L | GGMPL/SOP/W & WW/46 | NS | NS |
| 17 (| Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 18 1 | Iron | BQL (QL=0.05) | mg/L | GGMPL/SOP/W8WW/46 | 1 | No relaxation |
| 19 1 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0,01 | No relexation |
| 20 1 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 7 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/45 | 5 | 15 |
| 22 1 | Nitrate | 2.41 | rng/L | APHA 24th Edn 4500 NO3 B | 45 | No. relaxation |
| 23 | Boron | BQL (QL-0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 |
| | | | | | | |

AL & PL As Per IS 10500.

NS=Not Specified, BQL-Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kemar



Reviewed & Authorized by Manish Kumawat

Page No : 2/2

Timos & Conditions

There is tepot document to GGUP, NY, TXG grid not be transduced extent in full, without introduced branch for the formation of the results furnished branch for the complete control of the control of the control of the control of the following of the sense of the control of th



Dayal Estato, National Highway No.B, Opp APMC Market Gale-1, Jetalour, District-Ahmedapad-382426

Mobile No 1 +91 7069072001

Time! ht . leb@gogownined.jenkins.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/14 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Lab/PN/936E/134/14

Sampling Date:

17/05/2025

Sample Drawn By:

Shailesh Pandey

Sample Receipt Date:

19/05/2025

Sample Type:

Ground Water

Satisfactory

Analysis Start Date:

19/05/2025

Sample Description:

GW of Handpump Near Sal Kirene Sangoda Village (Buffer Zone)

Analysis End Date:

24/05/2025

Sample Quantity: Sample Condition: 5.5 L

Packing:

Sampling Method:

GGMPL/WI/27A

Sealed

| ir.No | Parameters | Results | Unit | Test Method | AL | PL |
|-------|------------------------------|------------|-------|--------------------------|---------|-----------------|
| 1 | Alkalinity as CaCO3 | 560,00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=2) | mg/L | IS 3025-Part 44 | NS | NS. |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS | NS |
| 4 | Chloride | 197.94 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 1934.0 | u5/on | IS 3025- Part 14 | NS | NS |
| 6 | Oll and Grease | BQL (QL-1) | mg/L | IS 3025- Part 39 | NS | NS |
| 7 | pH at 25 °C | 7.57 | - | IS 3025- Part 11 | 6.5-8.5 | No relexanto |
| 8 | Sulphate | 151.85 | mg/L | APHA 24th Edn 4500 SQ4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 1054.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 00.01 | mg/L | APHA 24th Edn 2540 D | N5 | NS |
| 11 | Total Hardness as CaCO3 | 788.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No : 1/3

Terror & Conditions

The sear report documents are \$100MPLFO 7000 shell not be reported from in full welfare writer copyrated from the flower black per an experience of the sample or reveal from the sample of th



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedebed-182425

Mobile No : +91-7069072001

Email 3d : lab@igogreenmethanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/14 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Lab/PN/436E/134/14 Sampling Date: Sample Drawn By: Shallesh Pandey Sample Receipt Date: Sample Type: Ground Water Analysis Start Llate: GW of Handpump Near Sai Kirana Sangoda Sample Description: Analysis End Date:

Village (Buffer Zone)

Sample Quantity: 5.5 L Sample Condition: Satisfactory Sampling Mathod:

Packing:

GGMPL/WI/27A

17/05/2025

19/05/2025

19/05/2025

24/05/2025

Sealed

| Sr.No | Parameters . | Results | Unit | Test Method | AL | PL |
|-------|--------------|----------------|------|---------------------------|-------|-----------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 8 | NS | N5 |
| 13 | BiCarbonates | 560 | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No Relaxatio |
| 15 | Cadmium | BQL (QL=0,002) | mg/I | GGMPI /SOP/W A WW/46 | 0.003 | Nu Relaxatio |
| 16 | Cobelt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | NS | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SGP/W & WW/46 | 0.05 | 1.5 |
| 18 | 1iun | BQL (QL=0.05) | mg/L | GGMPL/SOP/W&WW/46 | 1 | Nn relexatio |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relatatio |
| 20 | fückel | BQI (QI =0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxatio |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W 8. WW/46 | 5 | 15 |
| 22 | Nitrate | 2.84 | mg/L | APHA 24th Edin 4500 NO3 B | 45 | No relexatio |
| | | | | | | |

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No : 2/3

This test report document to GSAFLEFF. Will shall set be represed so upper in full, without written approach from Co Coson Machanisms Put. Ltd. Test results it amin'not become in a special second size and constitutions. on an elektron provider without also permission. Tetal liability of our institution is invited to the invited amount independent of products is enther information in information. The property is written to be invited to the invited amount independent in a manager information in the complete of the com 50. The Company compile to specially with regent training or source is well and the company in the company under the present of the company under the company the company under the company unde bracking case to be vertained as separated. This electronist control be reproduced, except in full, without prior written approved of the co one. Any dispute entaing out of this restropers is adapt to Abrocalebad published



Dayal Pstate, National Highway No.8, Opp NPMC Market Gate 1, Jetalpur, District-Ahmedabat-382426 Guseret, INDIA

Mobile No : 101 7050072001

Email Id., List@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/14 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Quantity:

Sample Description:

GW of Handpump Near Sal Kirana Sangoda

Village (Buffer Zone)

5.5 L

Sample Condition:

Lab/PN/435E/134/14

Shallesh Pandey Ground Water

Satisfactory

Sampling Date:

Sample Receipt Date: Analysis Start Date:

Analysis End Date:

Sampling Method:

Packing:

17/05/2025

19/05/2025 19/05/2025

24/05/2025

GGMPL/WI/27A

Sealed

| Sr.No | | Parameters | Results | Unit | Test Method | AL | PL. |
|-------|-------|------------|---------------|------|---------------------|-----|-----|
| 23 | Boron | | BQL (QL=0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 |

AL & PL As Per 15 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar

CHAN

Reviewed & Authorized by Manish Kumawat

Page No : 3/3

This sets report decement me SEMPLETS. THIS shall not be reproduced occurs in full-without written reproved from Go Green Membershame Five. Use. That results turnshed Fernin this report to the complex received Propert connect be used This test report decreases are DEMPLEYT, THE shall not be reproduced recept in fall, without expected from the Go Green Manhesters No. 10th. Test maste Established Freen the report to the complex received frequent and as on either complexed well-was prior permission. Total Salable of our institution is Broad to the invested enterest the description is retired from the freelings produced before the complexed prior permission. The samples of the complex reproduced by the destitution of the complexed permission of the complex representation of



Deval Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalour, District-Ahmadabad-382426 Gujarat, INDIA

Mobile No ± 491-7059072001

Email Id: lab@gogreenmechanisms.com.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/15 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Lab/PN/436E/134/15

Sampling Date:

17/05/2025

Sample Drawn By:

Shailesh Pandey

Sample Receipt Date:

19/05/2025

Sample Type:

Ground Water

Analysis Start Date:

19/05/2025 24/05/2025

Sample Description:

GW of Near Praihad Atram House Tap Water. Analysis End Date: (Buffer Zone)

15 3025- Part 11

Sample Quantity: Sample Condition: 5.5 L

Sampling Method:

GGMPL/WE/27A

Satisfactory

Packing:

Sexted

Sr.No Parameters Results Unit Test Method AL PL Alkalinity as CaCO3 364.00 1 APHA 24th Edn 2320 B mg/L 200 600 2 BOD at 27 of for 3 days BQL (QL=2) mg/t. IS 3025-Part 44 NS MS Chemical Oxygen Demand (COD) BQL (QL=5) APHA 24th Edn 5220 B mg/L NS NS 4 Chloride 148.95 IS 3025- Part 32 mg/L 250 1000 Conductivity 1185.0 uS/cm 15 3025- Part 14 NS. NS 6 Oil and Grease BQL (QL=1) 15 3025- Part 39 ma/L NS. NS

Total Hardness as CaCO3

Total Dissolved Solids (TDS)

Total Suspended Solids (TSS)

45.14 mg/L APHA 24th Edn 4500 SO4 E 705.00 mg/L 9.00 mg/L

mg/L

APHA 24th Edn 2540 C 500 2000 APHA 24th Edn 2540 D N5 NS APHA 24th Edn 2340 C 200 600

AL & PL As Per IS 10500.

pH at 25 °C

Sulphate

8

4

10

NS=Not Specified, BQL=Balow Quantification Limit,QL= Quantification Limit

7.56

754.00

Reviewed & Authorized by Tantan Kumar

CHAN ш AHMEDAR

Reviewed & Authorized by Manish Kumawat

Page No : 1/3

No

400

relaxation

6.5-8.5

200

This test injust this recent on \$500PLNY, 78% that not be represented except in this witness expenses bore the Secret Recognition Put. Ltd. Test require furnished being mis report as the secret as less recognition for the secret recognit on an evidence anywhere without prior permission. Total feeling of our institucion is finited to the inscisor concern. Endousecent of privately inferred nor implied. The completation which the fredings recorded beyon (the This import inductions of white about the district or an open support of the district of the d The control of the limited of control of the contro



Dayal Estate, National Highway No.fl, Opp APMC Market Gate-1, Jetakur, District-Ahmedabad-382426

Mobile No : +91-7059072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/15 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By:

Sample Type: Sample Description: Lab/PN/436E/134/15 Shallesh Pandey Ground Water

(Buffer Zone)

Sample Quantity: 5.5 L Sample Condition: Satisfactory Sampling Date: 17/05/2025 Sample Receipt Date: 19/05/2025 Analysis Start Date: 19/05/2025

GW of Near Prathad Atram House Tap Water Analysis End Date:

Sampling Method: GGMPL/WI/27A

Sealed

24/05/2025

Packing:

| St.No | Parameters | Results | Unit | Test Method | AL | PL |
|-------|--------------|----------------|-------|----------------------------|-------|------------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 13 | BiCarbonates | 364 | mg/L | APHA 24th Edn 2320 8 | NS | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W 8. WW/46 | 0.01 | No relexation |
| 15 | Cadmium | BQL (QL=0.002) | mg/L | GGMPL/SOP/W & WW/46 | 0.003 | No relaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SDP/W & WW/46 | NS | NS . |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W B. WW/46 | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | rng/L | GGMPL/SOP/W&WW/46 | 1 | No relaxation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 5 | 15 |
| 22 | Nitrate | 2.33 | mg/L | APHA 2/9th Edin 4500 NO3 B | 45 | No relaxation |
| | | | | | | |

AL & PL As Per 15 10500.

N5=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Monish Kumawat

Page No : 2/3

This test report document no IDS/PLET7.705 shall not be represent except in full, without written approved from the bream Mechanism Pri, Ltd. Test report report to the comple resolved Papers can'vel are used This test import document no GEAPLET AVIS shall not be strongered except in his. After a votes appeared from the Exem Membershop Pri. Ltd. Test spoke from this report to the complex process of the samples to what his freedom is no exidence assystate without price promised from the involved document of problems or implication from the product of the foreign in traded having the Tendings') indices were two-existing above and it is provided by the clark as the district of the complex of the company of the company of the company and problems of document or a design of the company of the c



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No 1 +91-7069072001

Email 1d: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/15 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Description:

Sample Quantity: Sample Condition: Lab/PN/436E/134/15

Shailesh Pandey Ground Water

GW of Near Pralhad Atram House Tap Water Analysis End Date:

(Buffer Zone)

5.5 L Satisfactory Sampling Date:

Sample Receipt Date: Analysis Start Date:

Sampling Method: Packing:

17/05/2025 19/05/2025

19/05/2025 24/05/2025

GGMPL/WI/27A

Sealed

| Sr.No | | Parameters | Results | Unit | Test Method | AL | PL |
|-------|-------|------------|---------------|------|---------------------|-----|-----|
| 23 | Boron | | BQL (QL=0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 |

AL & PL As Per 15 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar

Ø

Reviewed & Authorized by Manish Kumewet

Page No: 3/3

This lest report decument to GGAPLITY.705 state on the requisitated except in full, without written approve from Go. Gainer Machiners anywhere without having the provision. Total facility of our includion is ferrical to the involved consumers of products as setting activities and required. The prospection which the Endings reported from the Provision of the Pro This test report document to GDM*LIVE.7005 shall not be reported extent in full witness written approve from Go Guisen Machinessee. Fur. List. Doct results for the plant of this separt to the secret extent of the part of the secret extent extent of the secret extent e



Dayed Extra Metricula Continues No.10, Opp. APTOC Market Galeri, Juliagua, Chinia-Albumbian) Service Coloret, INDIA

Mobile No 1 +91-7069072001

Email Id : leb@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/16
Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date : 24/05/2025

J \

SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type: Lati/PN/436E/134/16 Shallesh Pandey Ground Water

GW of Handpump Near Bus Stop Gadegaon Village (Buffer Zone)

Sample Quantity: Sample Condition:

Sample Description:

5.5 L Satisfactory Sampling Date: Sample Receipt Date:

Analysis Start Date: Analysis End Date:

Sampling Method: Packing: GGMPL/WI/27A

17/05/2025

19/05/2025

19/05/2025

24/05/2025

Sealed.

| ar No | Parameters | Recults | Unit | Text Method | AL. | PL |
|-------|------------------------------|------------|-------|---------------------------|---------|-------------------|
| 1 | Alkalinity as CaCO3 | 440.00 | mg/L | API IA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=2) | mg/L | IS 3025-Part 44 | NS | NS . |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS | NS |
| 4 | Chloride | 108.97 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 1179.0 | u5/cm | IS 3025 Part 14 | NS | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | 15 3025- Part 39 | NS | NS. |
| 7 | pH at 25 °C | 7.56 | | 1S 3025- Part 11 | 6.5-8.5 | No relexaction |
| 8 | Sulphate | 48,02 | mg/l | APHA 24th Frin 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 738.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 7.00 | mg/L | APHA 24th Edn 2540 D | NS | NS |
| 11 | Total Hardness as CaCO3 | 486,00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Balow Quantification Limit,QL= Quantification Limit

0

Reviewed & Authorized by Tenten Kumer



Reviewed & Authorized by Manish Kumawat

Page No : 1/3

Terms & Conditions

This test repair discrete his total report of the professor crosps in fall, without written approvabilisms declared his headers are reported by the transfer by report of the sergin acceptability of our resolution is brinded to the investor crosps. Engineering of the crosps in the professor of a positive of a complete of the resolution is brinding into the complete of the complete



Dayal Estate, National Highway No.8, Opp APMC Merket Gate-1, Jetalpur, District-Ahmedabad-382426 Gujerat, INDIA

Mobile No ++91-7869072801

Email 1d : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/16 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type:

Sample Describition.

Lab/PN/436E/134/16 Shallesh Pandey Ground Water

GW of Handpump rear bus Stop Gadegaon

Village (Buffer Zone) 5.5 L

Sample Quantity: Sample Condition: Satisfactory Sampling Date: 17/05/2025 Sample Receipt Date: 19/05/2025 Analysis Start Date: 19/05/2025

Analysis and Date. Sampling Method:

24/05/2025 GGMPL/WI/27A

Packing:

Sealed

| Sr,No | Parameters | Results | Unit | Test Method | AL | PL |
|-------|--------------|-----------------|------|---------------------------|-------|------------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 13 | BiCarbonates | 440 | mg/L | APHA 24th Edn 2320 B | NS | N5 |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL=0.002) | mg/L | GGMPL/SOP/W & WW/46 | 0.003 | No relaxation |
| 16 | Cobalt | EQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | NS | NS |
| 17 | Соррег | DQL (QL-0.02) | mq/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 10 | Iron | DOI: (O):=0.053 | mall | COMPLYSOPAVINAWAY | 1 | Nn relaxation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W 8. WW/46 | 5 | 15 |
| 22 | Ntrate | 1,87 | mg/L | APHA 24th Etin 4500 NO3 B | 45 | No relaxation |
| | | | | | | |

AL & PL As Per IS 10500,

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit.

Reviewed & Authorized by Tentan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 2/3

This test separa discussions on SEAPL 877,77% about not be reproduced except in fail. without arritors approved from the separation for the separation of the reproduced except in fail. This fact inspiral instance or a State Co. With what for the reproduced occupit in fails, without invited approach there is done in the fact in the sample in a contract of the sample in the sample i



Dayal Estate, National Highway No.8, Opp APMC Market Gaze-1, Jetalpur, District-Ahmedabad-382426 Guierat, INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/16 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Lab/PN/436E/134/16

Sample Drawn By: Sample Type:

Shallesh Pandey Ground Water

Sample Description:

GW of Handpump Near Bus Stop Gadegaon

Village (Buffer Zone)

Sample Quantity:

5.5 L

Satisfactory

Sample Condition:

Sampling Date: Sample Receipt Date:

Analysis Start Date:

Analysis End Date:

Sampling Method: Packing:

GGMPL/WI/27A

17/05/2025

19/05/2025

19/05/2025

24/05/2025

Sealed

| Sr.No | - | Parameters | Results | Unit | Test Method | AL | PL | |
|-------|---------|------------|---------------|------|---------------------|-----|-----|--|
| 23 | Boron . | | BQL (QL=0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 | |

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Balow Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumer



Reviewed 8. Authorized by Manish Kumawat

Page No : 3/3

4 PM EQNET, NTS that can be reproduced except in full, without written approved from the Demon Mechanisms Fire, List, Text-could fundated this report to the complex excellent Pepper counterter exist. or or evidence only where without prior personant Tools deletely of our medition or implicit or expect and the personant of products in enter referred nor implicit in somethings recorded beautiful description and in the personant of products in enter referred nor implicit in the personant of products in the personant of products in enter referred nor implicit in enterprise the product in the personant of products in the personant of personant Threfings) relate was point store point on a provide by the complet of the store of



Dayal Estate, National Highway flo.B, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No : +91-7069072081

Errail Id : lab@gogremmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/17 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



TC-7173

SAMPLE DETAILS

Lab ID:

Lab/PN/436E/134/17

Shailesh Pandey

Ground Water

GW of Handpump Near Gramin Vidyalaya

Paramdoh (Buffer Zone)

Sample Quantity:

Sample Description:

Sample Drawn By:

Sample Type:

5.5 L

Sample Condition: Satisfactory Sampling Date:

Sample Receipt Date:

Analysis Start Date: Analysis End Date:

Sampling Method: Packing:

GGMPL/WI/27A

17/05/2025

19/05/2025

19/05/2025

24/05/2025

Sealed

| Sr.No | Perameters | Results | Unit | Test Method | AL | PL |
|-------|------------------------------|------------|-------|--------------------------|---------|------------------|
| 1 | Alkalinity as CaCO3 | 372.00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=Z) | mg/L | IS 3025-Part 44 | NS | NS |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS | NS |
| 4 | Chloride | 141.96 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 1164.0 | u5/cm | IS 3025- Part 14 | NS | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | IS 3025- Part 39 | NS | NS NS |
| 7 | pH at 25 °C | 7.62 | | IS 3025- Part 11 | 6.5-8.5 | No relexation |
| 8 | Sulphate | 43.91 | mg/L | APHA 24th Edn 4500 S04 E | 200 | 400 |
| 0 | Total Dissolved Solids (TDS) | 685.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 6.00 | mg/L | APHA 24th Ecin 2540 D | NS | NS |
| 11 | Total Hardness as CaCO3 | 468.00 | mg/L | APHA 24th Ech 2340 C | 200 | 500 |
| | | | | | | |

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumbr

AHMEDABAD

Reviewed & Authorized by Manish Kumawat

Page No: 1/3

This last report dissurance to COSM_ET 1905 and not be reproduced social in fall, without written expressed from Co Chart Machanisms Pac. U.S. Teat results humanise famous report to the semple received Report control for used This fest reprint description of SURPLETT, IXOS shall not be reproduced accept in fact, without a virient respect from Qo Green factorisans Pac. U.S. Ten mode is a translate from the proper to the acceptance of positions without price provisions. Tells identify of our institution is limited to the involved amount Engineering of positions in respect to the complete continues of our produced by the Company of acceptance of our positions of the Company of the complete continues in the secretary of the company of t



Clayel Estate: National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gulerat, INDIA

Mobile No : +91-7059072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/17
Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Description:

Č

GW o

Sample Quantity: Sample Condition: Lab/PN/43GE/134/17 Shallesh Pandey

Ground Water

GW of Handpump Near Gramin Vidyalaya

Paramdon (Buffer Zone)

5.5 L

Satisfactory

Sampling Date:

Sample Receipt Date: Analysis Start Date:

Analysis End Date:

Sampling Method:

Packing:

17/05/2025

19/05/2025 19/05/2025

24/05/2025

GGMPL/W3/27A Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL. | PI. |
|-------|--------------|----------------|------|--------------------------|-------|------------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Ech 2320 B | NS | NS |
| 13 | BiCarbonates | 372 | mg/L | APHA 24th Ech 2320 B | NS. | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL-0.002) | mg/L | GGMPL/SOP/W & WW/46 | 0.003 | No relaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/45 | NS | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | mg/L | GGMPL/SOP/W8WW/46 | İ | No relaxation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mo/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 5 | 15 |
| 22 | Nitrate | 1,97 | mg/L | APHA 24th Edn 4500 NO3 B | 45 | No relaxation |
| | | | | | | |

AL & PL As Per 15 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit.

Reviewed & Authorized by Tantan Kumar AHMEDABAD OF A OL

Reviewed & Authorized by Manish Kumawat

Page No: 2/3

Terres & Consistions

This test report decument on SEVPLTY2 700 and not be reprehensived only of the William operation of page as the enterior or you'ver without previously of the invalidation is limited to the invalidation or invalidation. The findings constitution in water than expensive the expensive or the expensive or invalidation or invalidation or invalidation or invalidation. The foreign context of the expensive or invalidation or invalidat



Deyel Estate, National Highway No.8, Opp APPK, Market Gate-1, Jetalpur, District-Ahmodabad-382426 Gujarat, INDIA

Multilatio . =91-7059072001

Birt. II DJ + lab@gogreenmacheniama.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/17 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date : 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By: Sample Type:

Sample Description:

Sample Quantity: Sample Condition: Lab/PN/436E/134/17

Shailesh Pandey

Ground Water

GW of Handpump Near Gramin Vidyalaya

Paramdoh (Buffer Zone)

5.5 L

Satisfactory

Sampling Date:

Sample Receipt Date: Analysis Start Date:

Analysis End Date:

Sampling Method:

Packing:

24/05/2025

GEMPL/WI/27A

17/05/2025

19/05/2025

19/05/2025

| r.No. | Parameters | Results | tree | Test Method | AL | PL |
|----------|------------|---------------|------|----------------------|-----|-----|
| 23 Boron | | BQL (QL=0.05) | mg/L | GGMPL/SOP/W 8, WW/46 | 0.5 | 2.4 |

AL & PL As Per IS 10500.

NS-Not Specified, BQL-Below Quantification Limit,QL- Quantification Limit

Reviewed & Authorized by Tantan Kumar

CHAN

Reviewed & Authorized by Manish Kumawat

Page No : 3/3

Term & Conditions:
The six ment there exist the product of the support of the support of the Condition of the support of the s



Dayof Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Quieret, INDIA

Mobile No : +91-7069072001

Email Id : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/13.
Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025



SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/13

30/PN/1233C/1

Sample Drawn By: Sample Type: Shailesh Pandey Ground Water

Sample Description:

GW of Sangoda Block -03 (Core Zone)

Sample Quantity:

6 L

Sample Condition:

Satisfactory

Sampling Date:

Sample Receipt Date:

Analysis Start Date: Analysis End Date:

Sampling Method:

Sampling Methor Packing: 11/08/2025 13/08/2025

13/08/2025

19/08/2025 GGMPL/WI/27A

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | PI. |
|-------|------------------------------|------------|-------|--------------------------|---------|--------------|
| 1 | Alkalinity as CaCO3 | 305.00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL-2) | mg/L | IS 3025-Part 44 | NS | NS. |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS | NS |
| 4 | Chloride | 102.97 | mg/L | 15 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 986.6 | uS/cm | IS 3025- Part 14 | NS | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | IS 3025- Part 39 | NS | NS |
| 7 | pH at 25 °C | 7.82 | | [S 3025- Part 11 | 6.5-8.5 | No relaxatio |
| 8 | Sulphate | 56.37 | mg/L | APHA 24th Edn 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 620.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 6.00 | mg/L | APHA 24th Edn 2540 D | NS | NS |
| 11 | Total Hardness as CaCO3 | 460.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 B | NS | N5 |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tentan Kumar CCHANIS OF PARTY ASMALY

Reviewed & Authorized by Manish Kumawat

Page No: 1/2

Terms & Condition

This top open Assessment to CDAPL(T2.20% plushrant be expendented comput in fact, without written approach from Sc. General Abstractions Prix, that Tue results howevirted became the recomplex processor for an electron and an an electron are produced in the surprise of the company processor for a produced in a state of products in matter and are included. The complex plan which the findings in recomplex plan are interested and a produced in the surprise of the state of products in matter and products in matter and products in matter and are included. The complex approach and are included in the product of the state of the product of the pr



Dayal Estate, National Highway No.8, Opp APNC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No : +91-7059072001

Email 3d: leb@gogreonmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/13 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, VIllage Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025



0.5

2.4

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/13

Shallesh Pandey

Sample Drawn By: Sample Type:

Ground Water

Sample Description:

GW of Sangoda Block -03 (Core Zone)

Sample Quantity:

Sample Condition:

Satisfactory.

Sampling Date:

11/08/2025

Sample Receipt Date: Analysis Start Date:

GGMPL/SOP/W & WW/46

13/08/2025 13/08/2025

Analysis End Date: Sampling Method:

19/08/2025 GGMPL/WIJ27A

Packing:

Sealed

| Sr.No | Parameters | Results | MAN. | Test Method | | | nv. |
|--------|--------------|----------------|------|--------------------------|---|-------|---------------|
| 31,190 | Parameters | Residus | Unit | rest metriod | | AL | PL |
| 13 | BiCarbonates | 305 | mg/L | APHA 24th Edn 2320 B | | NS. | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL-0.002) | mg/L | GGMPL/SOP/W & WW/46 | 3 | 0.003 | No relaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | | NS | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | mg/L | GGMPL/SOP/W&WW/46 | | 1 | No relaxatio |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/45 | | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | | 0.02 | No relaxation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | | 5 | 15 |
| 22 | Nitrate | 4.84 | mg/L | APHA 24th Edn 4500 NO3 B | | 45 | No relaxatio |

AL & PL As Per IS 10500

Baron

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

BQL (QL=0.05)

Reviewed & Authorized by Tantan Kumar



mg/L

Reviewed & Authorized by Manish Kumawat

Page No: 2/2

Terms a Common to GEMPLNY.705 shall not be reproduced except in full, without written agent from the Since Machinish plus (but the substitute of the substit 16. The Campany acceptants liability with regard to the sign or source formwhat the semplegis also and only extracted. The acceptants is lower by the company under an interest condition of Service excitation of service is shown in the limited of leading, instrument of purposes of the first of the deciment is solved that whereast in referred became reflects the company's feeling of the first of an interest like and order. wides the limits of discrete instruction. If any. The Company's soly responsibility in the Common discrete discrete and instruction in a transaction from solutions of the Company's soly responsibility in the Common discrete and the common discrete and parties to a transaction from solutions of the Common discrete and appearance of the common discrete and proceeding to the foliation of the Common discrete and appearance of the common discrete and and account of the Common discrete and accou budge on this retained as positive. This document comes to reproduced except in full, without evalvement appeared of the company, who illiquity orbits that report is subject to Ahmedatical paladiction.



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jotalpur, District-Ahmedebed-382426 Guianet, INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechantoms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/14 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

\$3

Reporting Date: 21/08/2025

70-7075

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/14

Sampling Date:

11/38/2025

Sample Drawn By:

Shailesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Snallesh Pandey Ground Water

Analysis Start Date:

13/08/2025

Sample Description:

GW of Handpump Near Sai Kirana Sangoda

Analysis End Date:

19/08/2025

Sample Quantity: Sample Condition: Village (Buffer Zone) 6 L

Satisfactory

Packin

Sampling Method:

GGMPL/W1/27A

Packing:

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | PL. |
|-------|------------------------------|------------|-------|--------------------------|---------|---------------|
| 1 | Alkalinity as CaCO3 | 450.00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL-2) | mg/L | IS 3025-Part 44 | NS | NS |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS | NS |
| 34 | Chloride | 152.95 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 1510 | uS/cm | IS 3025- Part 14 | NS | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | IS 3025- Part 39 | NS | NS |
| 7 | pH at 25 °C | 7.55 | 2 | IS 3025- Part 11 | 6.5-8.5 | No relaxation |
| 8 | Sulphate | 114.74 | mg/L | APHA 24th Edn 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 980.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 12.00 | mg/L | APHA 24th Edn 2540 D | NS | NS |
| 11 | Total Hardness as CaCO3 | 640.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |
| | | | | | | |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

A

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 1/3

Turne & Conditions

This led expect document to GGAP, GY, 700, shall not be regardated except in full, without written approval hore Go Green Mechanisms P.H. Ltd. Text creams builded testis this report to the complex received. Appert counts be used as an evidence conjunctor without price parameters of products in making inherent or fire furthers received. The prompting of our institution is familiar and received inherent or inherent received in the count of the count of the prompting of the great or inherent received in the count of the count of the prompting of the great or inherent received in the count of the cou



Dayal Estatu, National Highway No.8, Opp APNC Market Gate-1, Jetalour, District-Ahmedabari-382426 Gujerat, INDIA

Mobile No : +91-7069072001

Email Id : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/14 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025

TC-7073

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/14

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date: Analysis Start Date:

13/08/2025 13/08/2025

Sample Type: Sample Description: Ground Water GW of Handpump Near Sai Kirana Sangoda

Analysis End Date:

19/08/2025

Village (Buffer Zone)

Sampling Method:

GGMPL/WI/27A

Sample Quantity:

61

Sample Condition: Satisfactory Packing: Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | PL |
|-------|--------------|----------------|------|--------------------------|-------|---------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 13 | BiCarbonates | 450 | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL=0.002) | mg/L | GGMPL/SOP/W & WW/46 | 0.003 | No refaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | NS | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | mg/L | GGMPL/50P/W8WW/46 | 1 | No relaxation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 . | Zinc | BQL (QL-0.02) | mg/L | GGMPL/SOP/W & WW/46 | 5 | 15 |
| 22 | Nitrate | 6.42 | mg/L | APHA 24th Edn 4500 NO3 B | 45 | No relaxation |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat.

Page No: 2/3

This set report document no GSMPUVA WIS stall not be reproduced variet in sulf-vertice captions from Go Green Macromens Pvt. Ltd. Test results furnished benin this report to the commits received Paper sometimes are an ordered required in without prior parenties. Total locality of our institution to limited on the involved comment independent of predicts to widths referred nor implied this simpleptite orbital line findings according blocks. "Perphage") retainment (over the complete by the closes or key or third years or the closes of the closes of the closes of the complete or required to the complete or req is proven to the limited of Capita, indemnatication and judging late issues defined therein. Any holder of this discense is palicipal that information optioned herein reflects the company's findings at the time of its intermediation of clients instructions, if one. The Company's sale responsibility is to its Close and placement does not accompany parties to a transportant free contribing at their rights and obligations under the transportant departments. Any president contraction forgety or flabshoots will be continued or large enterine or large the contract of the



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujerat, INDEA

Nobile No : +91-7059072001

Email Id: lab@gogreenmechanisms.com.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/14 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date : 21/08/2025

TC-7675

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/14

Sampling Date:

11/08/2025

Sample Drawn By:

Shailesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

13/06/2025

Sample Description:

GW of Handpump Near Sai Kirana Sangoda

Arialysis End Date:

19/08/2025

Sample Quantity:

Village (Buffer Zone) 6 L

Sampling Method:

GGMPL/WI/27A

Sample Condition:

Satisfactory

Packing:

Sealed

| Sr.No | | Parameters | Results | Unit | Test Method | AL | PL. | |
|-------|-------|------------|---------------|------|---------------------|-----|-----|--|
| 23 | Boron | | BQL (QL=0.05) | mg/L | GGMPL/SDP/W & WW/46 | 0.5 | 2.4 | |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

- 4

Reviewed & Authorized by Tantan Kumar AMMEDABAD S

Reviewed & Authorized by Manish Kumawat

Page No : 3/3

Terror & Condition

This test report document to QQAPLAF7 705 shall replay expectated except in light, without written approved from Qo Quarantees and so a price produced concept in light, without written approved from Qo Quarantees and so a price produced price provided and an indicators are relative indexed and an implied. The completion which the fiddings in recorded from the provided price provided price produced and an indicator or recorded an indicator or recorded and an indicator or recorded an indicator or recorded and an indicator or recorded



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabed-382426

Mobile No: +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/15 Dalmia Cement (Bharat) Ltd. Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025



TC-7073

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/15

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey Ground Water

Sample Receipt Date: Analysis Start Date:

13/08/2025 13/08/2025

Sample Type: Sample Description:

GW of Near Praihad Atram House Tap Water Analysis End Date:

19/08/2025

Sample Quantity:

(Buffer Zone) 5L

Sampling Method:

GGMPL/WI/27A

Sample Condition:

Satisfactory

Packing:

Sealed

| Sr.No | Parameters | Resids | Unit | Test Method | AL | PL |
|-------|------------------------------|------------|-------|--------------------------|---------|--------------|
| 1 | Alkalinity as CaCO3 | 370.00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=2) | mg/L | IS 3025-Part 44 | NS NS | NS |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | N5 | NS |
| 4 | Chloride | 130.96 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 1186 | uS/on | IS 3025- Part 14 | NS | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | IS 3025- Part 39 | NS | NS . |
| 7 | pH at 25 °C | 7.52 | | IS 3025- Part 11 | 5,5-8.5 | No relaxatio |
| 8 | Sulphate | 48.14 | mg/L | APHA 24th Edn 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 732.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 10.00 | mg/L | APHA 24th Edn 2540 D | NS | NS |
| 11 | Total Hardness as CaCO3 | 550.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |
| | | | | | | |

AL & PL As Per 1S 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 1/3

This lost report decoment to COMPLEY 7.205 shell retric reproduced except in A.E. without written agreemed from Se Since Mechanisms P.A. Ltd. Test require beninded remain this regard to the pumple received Report cannot be used. of arms of Endousement of products to notities interval nor implied. The completel to which the Endings recorded teactic disc "Findings" ratios was 1-root drown and 1 or provided by the claim of the grant existing of the claims of the sample or a namenty and an example or representation or an existing of the company of the co is drawn to the britised of febliety independence configurations configurate time in each different fraction and justicides insure defined them only and e. If early The Company's refer representability is to to Chins and this document does not occupant parties to a prospection from excessing all their rights and polypoistes unally their discurrents. Any uncontrolled distriction, fungery or identication of the content or aggregated of this discurrent is unlowly and effective very be presented in the topic enters of the low. Oversion orderwise specific the negative very beginning on the state of the second order of the second order or the second order or the second order ord in specifical. This decement consol be rependuced except in full, subhast prior written opposed of the company. Any dispute crising cut of this test report is a diject to Absolutionia justication.



Dayol Estate, National Highway No.B, Dpp APMC Market Gate-1, Jetalpur, District-Ahmedatad-382426 Gujarat: INDIA

Mobile No : +91-7059072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/15 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date : 21/08/2025

70-7075

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/15

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

13/08/2025 13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

0.00012025

Sample Description:

GW of Near Pralhad Atram House Tap Water Analysis End Date:

to:

19/08/2025

Sample Quantity:

(Buffer Zone)

Sampling Method:

GGMPL/W1/27A

Sample Condition:

Satisfactory

Packing:

Sealed

| Sr.No | Perameters | Results | Unit | Test Method | AL | PL |
|-------|--------------|----------------|------|--------------------------|-------|---------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 13 | BiCarbonates | 370 | mg/L | APHA 24th Edn 2320 B | N5 | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W 8. WW/46 | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL=0.002) | mg/L | GGMPL/SOP/W & WW/46 | 0.003 | No relaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | NS | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | mg/L | GGMPL/SDP/W&WW/46 | 1 | No relocation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & W/N/46 | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relexation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 5 | 15 |
| 22 | Nitrate | 5.05 | mg/L | APHA 24th Edn 4500 NO3 B | 45 | No relaxation |
| | | | | | | |

AL & PL As Per 1S 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

--0

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No : 2/3

Terms & Conditions

This sact report decrement no QCRPLPR7, NCS shall not be reproduced except in NA, without written approved from the Count Nectionary PVL Uzd. Fest ensults furnished from this report to the sample except in NA, without written approved from the County Na except in NA, without the county of the co



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechaniems.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/15

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025



TC-7875

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/15

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

13/08/2025

Sample Description:

GW of Near Pralhad Atram House Tap Water Analysis End Date: (Buffer Zone) 19/08/2025

Sample Quantity:

61

Sampling Method:

GGMPL/W1/27A

Sample Condition:

Satisfactory

Packing:

Sealed

| Sr.No | | Parameters | Results | Unit | Test Method | AL | PI. |
|-------|-------|------------|---------------|------|---------------------|-----|-----|
| 23 | Boron | | BQL (QL=0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 |

AL & PL As Per 15 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

10

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No : 3/3

Terms & Condition

This test report decement to GOW/LR7 700 shall must be expendenced ecoupl in fall, without written approved from Go Green Mechanisms. Put Ltd. Test require following the property of the design of the invited as the evidence or produce in the finding of the invited on the produce in rectification in the finding of the invited on the produce in the finding of the design of the de



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/16 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/16

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

13/08/2025

Sample Description:

GW of Handpump Near Bus Stop Gadegoon

Analysis End Date:

19/08/2025

Sample Quantity:

Village (Buffer Zone) 6L

Sampling Method:

GGMPL/WI/27A

Sample Condition:

Satisfactory

Packing:

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | PL. |
|-------|------------------------------|------------|-------|--------------------------|---------|---------------|
| 1 | Alkalinity as CaCO3 | 360.00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=2) | rng/L | IS 3025-Part 44 | NS | NS |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS | NS |
| 4 | Chloride | 78.98 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 962.6 | uS/cm | IS 3025- Part 14 | NS. | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | IS 3025- Part 39 | N5 | NS |
| 7 | pH at 25 °C | 7.71 | - | IS 3025- Part 11 | 6.5-8.5 | No relocation |
| 8 | Sulphate | 34.30 | mg/L | APHA 24th Edn 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 614.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 6.00 | mg/L | APHA 24th Edn 2540 D | NS. | NS |
| 11 | Total Hardness as CaCO3 | 440.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |

AL & PL As Per 1S 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 1/3

This test report decrement in GGAPLAY 7505 shall not be reproduced except in NV, without written approach from Ga Green Mechanicus Pri. 1151. Fest results function this report to the comple excellent council be upon as on evidence onywhere without prior primitation. Total liability of two ministration is invited to the structed procurs in related an entire interest nor implicit. The pengloopic which the findings recorded training the This bigs? I relate was overel, drown small or provided by the claim or by a blind party sorting of the claim. The findings coupling to vaccority of the sometic organization coupling of the strain of the sorting of the sorting coupling of the sorting of the sor is drawn to the feature of facility indicated frozing and production could describe the described of this described by a binary or described of the company of features of the described of the d decorners. Any unwallenced alteration frequiry or fabrillation of the consent or apparance of this document is unlevely and otherston, may be proceeded to the foliast activities of this law. Unless etherwise stated the results shown in this lock report in the simple (it lessed and such complets are retained for 7 days in case of periodock flores) and 15 days for any value happendow was a simple (it lessed and such complets are retained for 7 days in case of periodock flores) and 15 days for any value happendow was a simple (it lessed and such complets). The semples from requirement hader on to be recented on specified. This chromost cornel has produced except in tid, without price within approval of the company. Any disprise citizing out of this text report is edipicit to identification.



Dayal Estate, National Highway No.8, Opp APMC Market Cate-1, Jetalbur, District-Ahmedebed-382426 Gujarat, INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/16 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/16

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

13/08/2025

Sample Description:

GW of Handpump Near Bus Stop Gadegaon Village (Buffer Zone)

Analysis End Date:

19/08/2025

Sample Quantity:

Sampling Method:

GGMPL/WI/27A

Sample Condition: Satisfactory

Packing:

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | P1. |
|-------|--------------|----------------|------|--------------------------|-------|---------------|
| 12 | Carbonates | BQL (QL-2) | mg/L | APHA 24th Edn 2320 B | N5 | NS |
| 13 | BiCarbonates | 360 | mg/L | APHA 24th Edn 2320 B | NS . | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SDP/W & WW/46 | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL=0.002) | mg/L | GGMPL/SOP/W 8, WW/46 | 0.003 | No relaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | NS | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | mg/L | GGMPL/SOP/W&WW/46 | 1 | No relaxation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/46 | 0.01 | No relexation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/45 | 5 | 15 |
| 22 | Nitrate | 5,43 | mg/L | APHA 24th Edn 4500 NO3 B | - 45 | No relaxation |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 2/3

This to Freed departed in USAPURE, 705 shall not be repreduced except in this vertical approval from to Over Machinists Pvt. Ltd. Test securits formation this report to the sections Report to the sections Report to the sections of the section of "Findings" indictions the projection and for provided by the client or by a third party acting at the clients describe. The findings constitutes are warranty of the complet ingress outside means of any goods and describe in the complete contracts. This is contract is consistent which in party under the Complete contracts of the complete contracts and contracts in contract to the complete within the complete contracts. is charact to the littled of balaty indirective and production required the set. Any holder of this document is polyaced the information contained become reflects the company's fieldings at the little of its intervenies only and documents. Any anautorised absorption, forgery or fallafloation of the content or appearance of this document is authorized and attended to the figure of the product of the content of the last report refer only to the completing tested and such completing are related from 7 days (in cose of particularly liver) and 13 days for soir water based on 13 days for soir completing from regulatory based on the content of the content cannot be reported enough to full. Advantage of the company. Any dispute entire of this test report to subject to Memorated in the content of the content of the content cannot be reported enough to full.



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No: +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/16 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025



TC-7073

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/16

Sampling Date:

11/08/2025

Sample Drawn By:

Shailesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

13/08/2025

Sample Description:

GW of Handpump Near Bus Stop Gadegaon

Analysis End Date:

19/08/2025

Sample Quantity:

Village (Buffer Zone) 61

Sampling Method:

GGMPL/WI/27A

Sample Condition:

Satisfactory

Packing:

Sealed

| Sr.No | | Parameters | Results | Unit | Test Method | AL | PL. |
|-------|-------|------------|---------------|------|---------------------|-----|-----|
| 23 | Boron | | BQL (QL-0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar AHMEDABAD V

Reviewed & Authorized by Manish Kumawat

Page No: 3/3

Terror & Condition

This test report document no GGAPLRY7705 shall not be regroduced accopt in bull, without written approved from Ga Gener Machanisms Pvt. Lot. Test requisit furnished revenit this report to the respectation of lenting of our investment of products in widow informal our implicit. The complete provides which the findings is considerable in the findings recorded training of the findings or considerable in respect to the street extraction of a finding of our products are removed to the street of products in or extraction of the indirect or considerable in respect to the complete from the street of the street of the findings or considerable in respect to the complete from the finding or considerable in request Attention is desired in the finding of the report of the street of the street of the finding or considerable in request Attention is desired in the finding of the report of the street o



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/17 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra



SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/17

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Ground Water

Analysis Start Date:

13/08/2025

Sample Description:

GW of Handpump Near Gramin Vidyalaya

Analysis End Date:

19/08/2025

Sample Quantity: Sample Condition: Paramdoh (Buffer Zone) 6L

Sampling Method:

GGMPL/WI/27A

Satisfactory

Packing:

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | Pt. |
|-------|------------------------------|------------|-------|--------------------------|---------|---------------|
| 1 | Alkalinity as CaCO3 | 300.00 | mg/L | APHA 24th Edn 2320 B | 200 | 600 |
| 2 | BOD at 27 oC for 3 days | BQL (QL=2) | mg/L | IS 3025-Part 44 | N5 | NS |
| 3 | Chemical Oxygen Demand (COD) | BQL (QL=5) | mg/L | APHA 24th Edn 5220 B | NS. | NS |
| 4 | Chloride | 97.97 | mg/L | IS 3025- Part 32 | 250 | 1000 |
| 5 | Conductivity | 914.5 | uS/cm | IS 3025- Part 14 | N5 | NS |
| 6 | Oil and Grease | BQL (QL=1) | mg/L | IS 3025- Part 39 | NS | NS. |
| 7 | pH at 25 °C | 7.37 | 1 | IS 3025- Part 11 | 6.5-8.5 | No relaxation |
| 8 | Sulphate | 40.52 | mg/L | APHA 24th Edn 4500 SO4 E | 200 | 400 |
| 9 | Total Dissolved Solids (TDS) | 584.00 | mg/L | APHA 24th Edn 2540 C | 500 | 2000 |
| 10 | Total Suspended Solids (TSS) | 8.00 | mg/L | APHA 24th Edn 2540 D | NS | NS NS |
| 11 | Total Hardness as CaCO3 | 400.00 | mg/L | APHA 24th Edn 2340 C | 200 | 600 |
| | | | | | | |

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit:

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 1/3

Have set operations of CAPLAY AND shall not be appropriate account to the sense account. These was operated account to CAPLAY AND shall not be appropriate account. These was operated account. The sense separate account to the sense account. The sense operated account to the sense account. The sense operated account to the sense of products in relief or individual account. The sense of the sen documents. Any smadtraised attention (argue) or fait (Edition of the convex or agreement is untawful and otherwise ring to processed to the failest extent of the law. Unless otherwise stated the results where in this test report who and you for complete joi rested and such complete) are wishered for 7 days (in cose of periodole items) and 15 days for only voctor/according warries and 30 days for sol complete. The complete form regulatory red moust in full. Advant prior written operand of the way. Any mispulo entang nated this test report is subject to Alterestation paladetics.



Dayaf Estate, National Highway No.B. Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No: +91-7069072803

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/17 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 21/08/2025

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/17

Shallesh Pandey

Ground Water

Sample Description:

Sample Drawn By:

Sample Type:

GW of Handpump Near Gramin Vidyalaya

Paramdoh (Buffer Zone)

Sample Quantity:

Sample Condition: Satisfactory Sampling Date:

Sample Receipt Date: Analysis Start Date:

Analysis End Date:

Sampling Method:

Packing:

11/08/2025

13/08/2025 13/08/2025 19/08/2025

GGMPL/W1/27A

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | AL | PL. |
|-------|--------------|----------------|------|--------------------------|-------|---------------|
| 12 | Carbonates | BQL (QL=2) | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 13 | BiCarbonates | 300 | mg/L | APHA 24th Edn 2320 B | NS | NS |
| 14 | Arsenic | BQL (QL=0.005) | mg/L | GGMPL/SOP/W & WW/45 | 0.01 | No relaxation |
| 15 | Cadmium | BQL (QL-0.002) | mg/L | GGMPL/SOP/W & WW/46 | 0.003 | No relaxation |
| 16 | Cobalt | BQL (QL=0.02) | mg/L | GGMPL/SOP/W 8. WW/45 | N5 | NS |
| 17 | Copper | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 0.05 | 1.5 |
| 18 | Iron | BQL (QL=0.05) | mg/L | GGMPL/50P/W&WW/46 | 1 | No relaxation |
| 19 | Lead | BQL (QL=0.005) | mg/L | GGMPL/SOP/W 8. WW/46 | 0.01 | No relaxation |
| 20 | Nickel | BQL (QL=0.01) | mg/L | GGMPL/SOP/W & WW/46 | 0.02 | No relaxation |
| 21 | Zinc | BQL (QL=0.02) | mg/L | GGMPL/SOP/W & WW/46 | 5 | 15 |
| 22 | Nitrate | 3.65 | mg/L | APHA 24th Edn 4500 NO3 B | 45 | No relaxation |

AL & PL As Per 1S 10500

NS=Not Specified, BQL-Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 2/3

This say report discovered in a GENPLIFF 200 shell net be appealed except in half, without writing approval from Co. Since Mechanisms Pvt. Ltd. Test security framework this report to the complex secretary security of each prior provided by the complex secretary and the second of the except of the secretary of the secretary without prior provided by the secretary except of the secretary of the s documents. Any unauthorized attention, forgery or folialization of the consector appearance of the document is undownly and offenders stay to protected to the hidest extent of the now. Unless otherwise states the requisi very. Any elimpedia carboling sout of 40% tent region to a signer to Alemodolism Jurisellellos



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gutacet, 19099.

Mobile No: +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/17 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date : 21/08/2025



TC-7073

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/17

Sample Drawn By:

Shailesh Pandey

Sample Type: Sample Description: Ground Water GW of Handpump Near Gramin Vidyalaya

Paramdoh (Buffer Zone)

Sample Quantity:

5L

Sample Condition: Satisfactory

Sampling Date:

Sample Receipt Date: Analysis Start Date:

Analysis End Date:

Sampling Method: Packing: 13/08/2025 19/08/2025

11/08/2025

13/08/2025

GGMPL/WI/27A

Sealed

| Sr.No | | Parameters | Results | Unit | Test Method | AL | PL |
|-------|-------|------------|---------------|------|---------------------|-----|-----|
| 23 | Boron | | BQL (QL=0.05) | mg/L | GGMPL/SOP/W & WW/46 | 0.5 | 2.4 |

AL & PL As Per 15 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

0

Reviewed & Authorized by Tantan Kumar AHMEDARAD P

Reviewed & Authorized by Manish Kumawat

Page No : 3/3

Terms & Conditions

This limit report document in GOAPLET? AND shall not be expected except in full, without written approved from Co. Except laborations Pvt. Itsi. Text require furnished herein this properties the complex processor of the provided and a resident prior provided and the service and a resident prior provided by the failest of the remainded by the resident prior provided by the claims of the provided by the provided

भारत सरकार जल शक्ति मंत्रालय जल संसाधन विभाग, केंद्रीय भूमि जल प्राधिकरण GOVERNMENT OF INDIA MINISTRY OF JAL SHAKTI DEPARTMENT OF WATER RESOURCES, RIVER DEVELOPMENT & GANGA REJUVENATION CENTRAL GROUND WATER AUTHORITY





भूजल निकासी हेतु अनापत्ति प्रमाण पत्र NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

PROJECT NAME DALMIA CEMENT (BHARAT) LTD - SANGODA LIMESTONE MINE (MURLI INDUSTRIES LTD PROJECT ADDRESS KH. NO. 3 TO 74 VILLAGE SANGODA TAHSIL PIN CODE 442916 KORPANA DISTRICT CHANDRAPUR TOWN/BLOCK STATE MAHARASHTRA DISTRICT CHANDRAPUR KORPANA COMMUNICATION ADDRESS VILLAGE NARANDA TAHSIL KORPANA DISTRICT CHANDRAPUR M.H. ADDRESS OF CGWB REGIONAL OFFICE N.S. Building, Civil Lines, Nagpur 440001 Maharashtra NOC NO. NOC/MIN/MH/2025/4849/R-1/1 2. DATE OF ISSUANCE 11/07/2025 APPLICATION NO. MIN/MH/2025/4849/R-1 4. APPLICATION TYPE Mining PROJECT STATUS Existing Project 6. NOC TYPE Renew VALID FROM 12/04/2025 VALID UP TO 11/04/2027 AREA TYPE CATEGORY Safe (GWRE-WATER OUALITY TYPE Fresh Water 2024) 11. Ground Water Abstraction Permitted **GW Abstraction** Dewatering Total m3/day m3/year m3/day m3/day m³/year m3/year 5.00 1825.00 154.00 56210.00 159.00 58035.00 Details of Ground Water Abstraction / Dewatering Structures EXISTING 0 PROPOSED 2 TOTAL 2 DW DCB BW TW Pu DW DCB BW TW Pu DW DCB BW TW Pu 0 0 0 0 0 0 0 0 1 0 1 0 1 0 1 *DW-Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; Pu Pumps; 13. No. Of Mine Pits EXISTING PROPOSED TOTAL Ö

Validity of this NOC shall be subject to mandatory compliance of the following conditions: Phase I (within 30 days) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) is mandatory for all users seeking No Objection Certificate. Intimation regarding their installation shall be updated in Self-Compliance Module (Phase-I) of BhuNeer APP portal within 30 days of grant of No Objection Certificate.

Phase II (within 11 months)

- Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- Construction of purpose-built observation wells (piezometers) for ground water level monitoring is mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the notified guidelines.
- 3. Proponents shall monitor quality of ground water from all the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analyzed in NABL accredited or Govt. approved laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 4. In case of mining projects, additional key wells in core as well as buffer zones of the mine shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November).
- In case of mining project, the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- # All the above-mentioned mandatory compliance conditions are to be filed online in BHUNEER APP (https://cgwa-bhuneer.mowr.gov.in)timely.

General Conditions:


- Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986 and amendment thereto, if any.
- 2. This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.
- This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- No additional ground water abstraction and/or de-watering structures shall be constructed for this
 purpose without prior approval of the Central Ground Water Authority (CGWA).
- The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction as permitted in NOC.
- Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws.
- Proponents, who have installed/constructed rain water harvesting and artificial recharge structures shall continue to regularly maintain the water conservation structures.
- The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 9. Industries which are likely to cause ground water pollution, e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list), no recharge measures shall be taken up by such firms inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm. The firm need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the notified guidelines
- Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 11. Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 13. This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 14. This NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 15. In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 6 months of taking over possession of the premises.
- 16. In case of new infrastructure projects having ground water abstraction of more than 20 m3/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 17. In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.

- 18. In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 19. In the self-compliance report, the PP shall submit details of Drilling Agency/ Agencies, which has/ have constructed BW(s)/ TW(s) along with undertaking to the effect that all necessary measures have been taken as per directions of Hon'ble Supreme Court provided in Annexure-VII of guidelines dated 24.09.2020 in respect of abandoned/ failed BW(s)/ TW(s)/Piezometer(s), if any. The PP is advised to engage registered drilling agency/agencies. In the event of any mishap/ unfortunate incident due to negligence in taking measures for prevention of accident due to falling in Bore Well, both PP and concerned drilling agency shall jointly be held responsible and penal action as per extant Government rules shall be taken.
- 20. Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent. In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines

ANNEXURE-IV (a) AMBIENT AIR QUALITY MONITORING DATA

| AAQ-01 Mines L | ease Boundary-East | Side | | | | | | | |
|----------------------------------------|------------------------|---------------------------------------|--------------------------------------|-------------------|--|--|--|--|--|
| Month | $PM_{2.5} (\mu g/m^3)$ | PM ₁₀ (μg/m ³) | SO ₂ (μg/m ³) | $NO_2(\mu g/m^3)$ | | | | | |
| Standard | 60 | 100.0 | 80.0 | 80.0 | | | | | |
| April-25 | 39.99 | 77.23 | 18.80 | 25.34 | | | | | |
| May-25 | 40.41 | 75.08 | 17.17 | 27.66 | | | | | |
| June-25 | 34.99 | 68.88 | 14.10 | 22.29 | | | | | |
| July-25 | 32.49 | 61.88 | 12.85 | 18.65 | | | | | |
| August-25 | 33.33 | 65.31 | 13.82 | 21.91 | | | | | |
| September-25 | 37.07 | 72.24 | 16.12 | 25.49 | | | | | |
| AAQ-02 Mines Lease Boundary-South Side | | | | | | | | | |
| April-25 | 37.91 | 75.28 | 15.65 | 24.27 | | | | | |
| May-25 | 39.99 | 73.38 | 13.08 | 21.33 | | | | | |
| June-25 | 32.91 | 63.47 | 11.69 | 18.35 | | | | | |
| July-25 | 31.24 | 58.41 | 11.24 | 17.03 | | | | | |
| August-25 | 32.91 | 60.87 | 11.33 | 17.53 | | | | | |
| September-25 | 36.24 | 70.07 | 14.72 | 24.19 | | | | | |
| AAQ-03 Mines L | ease Boundary-Nort | h Side | | | | | | | |
| April-25 | 34.99 | 70.85 | 13.22 | 19.27 | | | | | |
| May-25 | 43.32 | 79.95 | 15.39 | 24.27 | | | | | |
| June-25 | 34.99 | 69.15 | 14.47 | 19.81 | | | | | |
| July-25 | 31.66 | 60.15 | 13.92 | 19.46 | | | | | |
| August-25 | 31.66 | 63.33 | 11.56 | 19.43 | | | | | |
| September-25 | 34.57 | 69.00 | 15.32 | 22.24 | | | | | |
| AAQ-04 Mines L | ease Boundary-Wes | t Side | | | | | | | |
| April-25 | 39.16 | 75.72 | 21.27 | 28.23 | | | | | |
| May-25 | 41.66 | 77.86 | 19.26 | 29.75 | | | | | |
| June-25 | 30.83 | 63.28 | 12.52 | 18.62 | | | | | |
| July-25 | 27.08 | 56.55 | 10.58 | 19.59 | | | | | |
| August-25 | 32.91 | 59.85 | 13.00 | 18.56 | | | | | |
| September-25 | 35.40 | 68.61 | 14.19 | 23.08 | | | | | |

ANNEXURE-V INSTALLATION OF CAAQMS STATION



ANNEXURE-IV AMBIENT NOISE LEVEL MONITORING DATA

| Sr. No. | Location Mines Lease Boundary East Time Day Night Time Time | | Mines Boun Sou | dary | Mines Lease Boundary North | | Mines Lease Boundary West | | |
|------------|--------------------------------------------------------------|---------|----------------------|---------------|----------------------------------|---------------|------------------------------|---------------|---------|
| | | | Day Time | Night Time | Day Time | Night Time | Day Time | Night Time | |
| | Standard- | 75 (dB) | 70 (dB) | 75 (dB) | 70 (dB) | 75 (dB) | 70 (dB) | 75 (dB) | 70 (dB) |
| 1 | April-25 | 66.2 | 54.2 | 66.9 | 46.3 | 67.3 | 51.2 | 69.2 | 49.2 |
| 2 | May-25 | 64.7 | 61.8 | 63.4 | 61.3 | 61.3 | 59.8 | 65.6 | 62.5 |
| 3 | June-25 | 62.4 | 59.6 | 62.8 | 60.8 | 61.6 | 59.6 | 64.3 | 61.2 |
| 4 | July-25 | 71.2 | 69.1 | 73.3 | 65.9 | 72.6 | 67.3 | 70.3 | 67.2 |
| 5 | August-25 | 68 | 62 | 66 | 61 | 65 | 60 | 70 | 62 |
| 6 | September-25 | 69 | 67 | 67 | 58 | 68 | 60 | 67 | 62 |



Dayel Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382425 Gujarat, INOIA

Nobile No.: +91-7069072001

Errail Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/01

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type:

Env. Cond.-Sampling:

Sample Description:

Env. Cond.-Sample Receipt:

Lab/PN/436E/134/01 Shallesh Pandey Ambient Air

Temp-31°C/ Humidity-45% Satisfactory

Sampling Start Date: Sampling End Date:

Sample Receipt Date: Lease Boundary Sangoda Mine East (Core Analysis start- End Date:

> Total Sampling hours: Env. Cond.-Testing:

19/05/2025-24/05/2025 24

16/05/2025

17/05/2025

19/05/2025

25±5°C

| ir.No | Parameters | Results | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 40,41 | pg/m3 | GGMPL/SDP/AA/60 | 60 |
| 2 | Sulphur Dioxide (SO2) | 17.17 | μg/m3 | IS 5182-Part 2 | 80 |
| 3 | Oxides of Nitrogen | 27.66 | µg/m3 | IS 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 1.01 | mg/m3 | IS 5182- Part 10 | 4 |
| 5 | Particulate Matter (PM10) | 75.08 | pg/m3 | IS 5182- Part 23 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification

Reviewed & Authorized by Gyanvati Shukla

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This set report accessors to COVPLYC7305 shall not be reproduced except in fail, without written approprial from Go Garen Machiners PA1 (18) That which is shared the report to the manifest produced except in fail and the second except in fail and the second except in the second exc Prolings*) minist with owner it course it courses in the case of my prince perfy octors of the case of my prince perfy octors of the case of my prince performs the my prince p Source to Any wood ordered absorber, forgery or faithfundant the consent or appreciate of the source bedies one to be retained as specified. This decument control is reproduced entered and process of the company. Any disputs orbiting and if this test report is subject to Alls modeled in High Law.



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalour, District-Ahmedabad-382426 Gujarat, INDIA

Nobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/01A

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpane, District Chandrapur Maharashtra

Reporting Date: 24/05/2025

SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Description: Env. Cond. Complings

Env. Cond.-Sample Receipt:

Lab/PN/436E/134/01

Shallesh Pandey

Ambient Air

Zone)

Temp 31°C/ Humidity 15% Satisfactory

Sampling Start Date:

Sampling End Date: Sample Receipt Date:

Lasco Boundary Sangoda Mine East (Core Analysis start End Date:

Total Sampling hours: Erw. Cond.-Testing:

24

25±5°C

Sr.No.

Parameters*

Results

Unit

Test Method

16/05/2025

17/05/2025

19/05/2025

19/05/2025 24/05/2025

Free Slike

0.015

mg/m3 GGMPL/SOP/WZ/64

NS

Norms

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, 8QL=Below Quantification Limit,QL= (148)

Reviewed & Authorized by Gyanvati Shukla

Entl of Report ---

Reviewed 8. Authorized by Manish Kumewat

Page No: 1/1

Toront & Conditions

There is Conditions:

The start report document to SWPL/FC TIES about soc be improduced encern in fault, without written opproved term Co-Casan Avendmenta PAL List. Text related to the improved term consists upon the second document and improved term or an elegative computer of an elegative computer or an elegative comp of This document control be reproduced except in fall, without price written appeared of the company. Any dispute criticis out of this text topo t is subject to Absorb body and close.



Dayai Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No : +91-7069072001

Errail Id: labiggogreenmecharusms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/02

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type:

Sample Description:

Env. Cond.-Sampling:

Env. Cond.-Sample Receipt:

Lab/PN/436E/134/02

Shailesh Pandey Ambient Air

Temp-31°C/ Humidity-45% Satisfactory

Sampling Start Date:

Sampling End Date: Sample Receipt Date: Lease Boundary Sangoda Mine West (core Analysis start- End Date:

Total Sampling hours:

Env. Cond.-Testing:

24

25±5°C

16/05/2025

17/05/2025

19/05/2025

19/05/2025-24/05/2025

| 5r.No | Parameters | Results | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 41.66 | µg/m3 | GGMPL/SOP/AA/60 | 60 |
| 2 | Sulphur Dioxide (SO2) | 19.26 | µg/m3 | IS 5182-Part 2 | 80 |
| 3 | Oxides of Nitrogen | 29.75 | µg/m3 | IS 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 0.99 | mg/m3 | IS 5182- Part 10 | 4 |
| 3 | Particulate Matter (PM10) | //.86 | рдут3 | IS S182- Part 23 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quage

Reviewed & Authorized by Gyanvati Shukla

Reviewed & Authorized by Manish Kumawat

Page No : 1/1

This too report document to SOMPLAYS 2000 shall not be reproduced except in his, will not written approved from the deposit before many Put Lie. Test mouth furnished before this report to the sample accessed deposit and as an evidence anywhere militaris price permission. Two literatory for included a limited to the moderal information of products in residue informed our implied. The paraphosistic words the findings recorded baseling the "Findings") relate was purised drown and a prevented by the other or by or their party extra prevented by the other or by or their party extra prevented by the company of the company of the company or the company of the company of the company or the company of the company of the company of the company of the company or the company of Is shown to the limited of liability. Indurentification and jurisdiction issues defined theory in the term of this decreases in advance has his term of the first of company's florings of the term of its intervention of electric florings. If may, The Company's sold responsibility is to be Clarat and databases also not receive the person or interpretation from prompting of their rights and programs under the transaction. wide the finite of rifler's instructions. If any. The Company's sole responsibility is to be Client and discovered discovered discovered by the finite of rifler and of the finite of th busins are to be retained as specified. This document cannot be reproduced except in Adjustical polar and the paragonal of the paragony. Any depute orange and this territopist, is adequate to Advance.



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmadabad-382426 Gujarat, INDIA

Mobile No : +91-7069072001

Emel 1d : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/02A

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025

SAMPLE DETAILS

Lab ID:

Parameters*

Lab/PN/436E/134/02

Sampling Start Date:

16/05/2025

Sample Drawn By:

Shallesh Pandey

Sampling End Date:

17/05/2025

Sample Type:

Ambient Air

Sample Receipt Date:

19/05/2025

Sample Description:

Lease Boundary Sangoda Mine West (core Analysis start- End Date:

19/05/2025-24/05/2025

Env. Cond.-Sampling:

Temp-31°C/ Humidity-45%

Total Sampling hours:

24 25±5°C

Env. Cond.-Sample Receipt:

Satisfactory

Env. Cond.-Testing:

Sr.No

Free Silica

Results 0.014

Unit

mg/m3 GGMPL/SOP/WZ/64

Test Method

Norms NS

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quan

Reviewed & Authorized by Gyanvati Shukla

EE SACTIMENA 9 1/4

- End of Report -

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This test import document as SEARS AND ANS shall not be separable and account which a willow without opposed from St. Seath blockwaiters Pyr. 128. Test results beneated became this aggress to the His field impair doubles for AMS double for the reproduced everys in his widow operand from Co. Grean techniques produced in control to a page as in a control with a bridge of our institution is fortist to the impair distribution and of a dual or in a produced and the control of a second in a section in the control of an account to the page and the control of an account to the page and the control of an account to the control of a control of account to the section of account to the section of account to the section of account to the control of account to the section of account to the sect had be not to be redorned on specified. This document content to reproduced except in fall, without prior written approprial the company, Any dispute entiring can of this set report in support in Administracy processing.



Dayal Estata, National Highway No.B, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No.: +91-7069872001

Errall Id: lab@qoorgonnochanicms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/03

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type: Sample Description:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/03 Shallesh Pandey

Ambient Air Lease Boundary Sangoda Mine North (

Satisfactory

core zone) Temp-31°C/ Humidity-45% Sampling Start Date: Sampling End Date: Sample Receipt Date:

Analysis start- End Date:

24

16/05/2025

17/05/2025

19/05/2025

19/05/2025-24/05/2025

Total Sampling hours: Env. Cond. Testing: 25±5°C

| Sr.No | Peremetera | Kesults | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 43.32 | µg/m3 | GGMPL/SOP/AA/60 | 60 |
| 2 | Sulphur Dioxide (SO2) | 15.39 | µд/т3 | IS 5182-Part 2 | 80 |
| 3 | Oxides of Nitrogen | 24.27 | µg/m3 | IS 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 1.03 | mg/m3 | IS 5182- Part 10 | 4 |
| 5 | Particulate Matter (PM10) | 79.95 | µg/m3 | IS 5182- Part 23 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantific Helicular

Reviewed & Authorized by Gyanvati Shukia

Reviewed & Authorized by Manish Kumawat

Page No : 1/1

This test report decument as EGMPLV7.7.006 shall can be reported except in full, without written approved from the General Machine Put Loss Test results furnished forms the report to the complete except from the property of the property of the complete extension of the property o "Findings" what west private and the prevention of any posts and party coding state clients absolute. The findings commute as was surply of the complete imprecentation received by the client or by detail party coding state clients absolute. The findings commute as was surply of the complete imprecentation received and the community of the complete in the complete in the company of the complete in the company of the complete in the complete in the company of the complete in the company of the complete in the complete in the company of the complete in the complete in the company of the complete in the complete in the company of the complete in the complete in the company of the complete in the complete in the company of the complete in the co Is shown to the limited of facility. Information and projection and projection may be interested them in companies to policial the companies to project the form of the form o discussers. Any country per absence in the property of felaborate of the content or oppositions of the discusser is about and of except may be proceeded by the best of the time. Chiese otherwise action the country discusser report refer only to the complet (it tests only to t ed as smithed. This decises entimenal be reproduced evolpt in full, will yet prior rifers appeared of the company. Any dispets enting out of this test report is exigent to Abracolists of privactors

0 *



Dayel Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gujarat, INDIA

Mobile No : +91-7069072001

Emeil Id : lab@gogreenrechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/03A

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandragur Maharashtra

Reporting Date: 24/05/2025

SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Description:

Env. Cond.-Sampling.

Env. Cond.-Sample Receipt:

Lab/PN/436E/134/03 Shallesh Pandey Ambient Air

Lease Boundary Sangoda Mine North (

core zone)

Satisfactory

Temp-31°C/ Humsday-45%

Sampling Start Date:

Sampling End Date: Sample Receipt Date:

Analysis start- Fird Date:

16/05/2025 17/05/2025

19/05/2025 19/05/2025-24/05/2025

Total Sampling hours:

Env. Cond.-Testing: 25±5°C

Sr.No. Parameters* Results Unit Test Method Norms Free Silica 0.016 mg/m3 GGMPL/SOP/WZ/64 NS.

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Q

Reviewed & Authorized by Gyanveti Shukla



--- End of Report -

Reviewed & Authorized by Manish Kumawat

Page No : 1/1

Terms & Conditions 2

and an OSSAN STOT TON SHALL not be reproduced an opt to bill, without written approval him by Green Machine large Mr. Lide. The results have made have a thin report to the o as an evidence whywhore without prior permission. Total Scholing of our limitable is is sected as the events consequence of products is earlier informed our implies. The completely which the findings recorded benow the "Findings" in Matth Was better from the complete representations of any general and chiefly office the findings. The findings construction according of the complete representations of any general and chiefly obtained by the Company control in the complete representations of any general and chiefly obtained by the Company control in the control of the company is representationally and any control of the company of the company of the company of the company is representationally and any control of the company is representationally and any control of the company is representationally and any control of the company is representationally and control of the company is representationally and control of the company is representationally and control of the company is represented by and control of the company is represented by and control of the deciman is a control of the deciman is a control of the deciman in any and control of the company is represented and any and control of the deciman is a control of the deciman in any and control of the deciman is a control of the deciman in any and control of the deciman is a control of the deciman in any and control of the deciman is a control of the deciman in any and control of the deciman is a control of the deciman in any and control of the deciman is a control of the deciman in any and control of the deciman in any any and control of the deciman in any any and control of the deciman in any any any and control of the deciman in any any and control of the decima within the State of close's variables. If any, The Company's sale responsibility is to its Others and this document, does not exceed as a second or to introduce the responsibility of the second of the content of the second of the set were referred; to the energic of total and conduct project for making for a project for expectable for a project for expectable for the energy of the conduct project for the energy of the conduct project for the conduct for expectable for the energy of the conduct for expectable for expectable for expectable for the energy of the conduct for expectable for



Dayal Estato, National Highway No.R, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426 Gularat, INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/04

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type:

Sample Description:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/04

Shailesh Pandey Ambient Air

Lease Boundary Sangoda Mine South (

core zone)

Temp-31°C/ Humidity-45% Setisfactory

Sampling Start Date: 16/05/2025 Sampling End Date: 17/05/2025

Sample Receipt Date: Analysis start- End Date:

Total Sampling hours:

Env. Cond.-Testing:

24

25±5°C

19/05/2025

19/05/2025 24/05/2025

| ir.No | Parameters | Results | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 39,99 | рд/т3 | GGMPL/50P/AA/60 | - 60 |
| 2 | Sulphur Dioxide (SO2) | 13.08 | µg/m3 | 15 5182-Part 2 | 80 |
| 3 | Oxides of Nitrogen | 21.33 | µд/т3 | IS 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 1.03 | mg/m3 | IS 5182- Part 10 | 4. |
| 5 | Perticulate Matter (PM10) | 73.38 | pg/m3 | (S 5182- Part 23 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quay

Reviewed & Authorized by Gyanvati Shukla



Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This is a spot document to QUARLINE 7,00 shall not be expected extent in light, without written approve from Qo Green Macronisms Pirt. Ltd. This issues described theme the expect to the second recording extent of products in related to record nor implied. The completages which the Endings representative control of products in related to record nor implied. The completages which the Endings representative control of products in related to record nor implied. The completages which the Endings representative control of the completages which the endings representative control of the Company social and strictly always to the completage and the completage of the completage and the completage an



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382425 Gujerat, INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/04A

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025

SAMPLE DETAILS

Lab ID:

Sample Drawn By: Sample Type:

Sample Description:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt:

Lab/PN/436E/134/04 Shallesh Pandey

Ambient Air Lease Boundary Sangoda Mine South (

core zone)

Temp-31°C/ Humidity-45% Satisfactory

Sampling Start Date:

Sampling End Date: Sample Receipt Date:

Analysis start- End Date:

Total Sampling hours:

Env. Cond.-Testing:

16/05/2025

17/05/2025 19/05/2025

19/05/2025-24/05/2025

24

25±5°C

| Sr.No | Parameters* | Results | Unit | Test Method | Norms |
|---------------|-------------|---------|-------|-----------------|-------|
| 1 Free Silica | | 0.017 | mg/m3 | GGMPL/SOP/WZ/64 | N5 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quant

Reviewed & Authorized by Gyanveti Shukla

Reviewed & Authorized by Manish Kumawat

Page No : 1/1

This has report discusses on CCMR INT THE shall not be reproduced everyal in Ed., without written appeared from Co Crear Historians P.A. Lad. Test results Survival Incom this report to the serial received from the control as on evidence drywhere without prior permission Total bitship of our institution is served the envisced emergine and products in notice in terms or supplied. The completion which the findings received them the "findings" relate was broad throw and or provided by the client or by a first party cating at the direct direction. The findings constitute was averagely the complete representative and of any good producted prior to be assemble. iii. The Company excepts not faithful with regard to the entering a second from which the complete or expend plant and to be except the Company and in its learning conditions of Service exception of Service and Service in the Company and its interest company and its inte within the finish of death contact of the transfer of the Company's and responsibility is on the Clean under the homeofiles for the contact of the death of the finish of the contact of the death of th



Dayal Estate, National Highway No.B, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No. | +91-7009072001

Email Id : Inhillangmenton honders rom.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/05

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/8, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type:

Sample Description: Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/05 Shailesh Pandey

Ambient Air Near Sangoda Village (Buffer zone) Temp-31°C/ Humidity-45%

Satisfactory

Sampling Start Date: 16/05/2025 Sampling End Date: Sample Receipt Date: 19/05/2025

Analysis start- End Date: Total Sampling hours:

Env. Cond.-Testing:

17/05/2025

19/05/2025-24/05/2025

25±5°C

| Sr.No | Parameters | Results | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 37.08 | µg/m3 | GGMPL/SOP/AA/50 | 60 |
| 2 | Sulphur Dioxide (SO2) | 14.31 | µg/m3 | IS 5182-Part 2 | 80 |
| 3 | Oxides of Nitrogen | 19.48 | µg/m3 | IS 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 1.00 | mg/m3 | IS 5182- Part 10 | 4 |
| 5 | Particulate Matter (PM10) | 71.65 | µg/m3 | 15 5182- Part 23 | 100 |
| | | | | | |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantition

Reviewed & Authorized by Gyanvati Shukia

Reviewed & Authorized by Manish Kumawat

Page No : 1/1

This test report document to SEARLET7.70% shall not be exercised except in hall, without written appropriation. Go Green interhenisms Put. Ltd. The assume functional test report in the exercise received in the exercise of products in making information. Soon locality of our installation is funded to me invited of installation of installation in making in making in proposed products. The scappages which the exercise is the exercise of products in making information and proposed soon and of the exercise in report of the exercise in representation and society related to the exercise in This test report document as SDARUST7765 shall not be reproduced except in hell, without written approval from Go Green interfacionary Put. Los. Two causes business haven they report in the complex received Paper, connection and



Dayel Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426.

Mobile No: +91-7069072001

Email Id: tah@gogreenmechenisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/06

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By: Sample Type:

Sample Description:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/06

Shailesh Pandey

Ambient Air

Note Godoyau Village (Duffer zune)

Temp-31°C/ Humidity-45%

Satisfactory

Sampling Start Date:

Sampling End Date: Sample Receipt Date:

Analysis start* End Date. Total Sampling hours:

Env. Cond.-Testing:

16/05/2025

17/05/2025 19/05/2025

19/03/2025-24/05/2025

24

25±5°C

| Sr.No | Parameters | Results | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 35.66 | Ет/дч | GGMPL/SOP/AA/60 | 60 |
| 2 | Sulphur Dioxide (SO2) | 11.63 | pg/m3 | 15 5182-Part 2 | 80 |
| 3 | Oxides of Nitragen | 17.06 | µg/m∃ | 15 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 1.03 | mg/m3 | IS 5182- Part 10 | 4 |
| 5 | Particulate Matter (PM10) | 60.62 | pg/m3 | 19 9182+ Part 77 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL=

Reviewed & Authorized by Gyerwati Shukla

End of Report -

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

Terms & Conditions:

This test regard & countries in COMPLAT 7.05 and not be recorded except in full, without without approved from Gs. Green Menhanisms. Phy. Lite. Their require harmonised benefit that is propried to the prompts of the semigraphy which the firstless as on oriforce anywhere without prior pornission. Total liability, of war institute in the institute of postucia is neither without prior pornission. Total liability of war institute in the institute of postucia is neither without prior pornission. Total liability of war institute in the institute of postucia is a neither without prior pornission. Total liability of war institute in the institute of postucia is a neither without prior pornission. Total liability of war in the institute of the artist of the extent


Dayai Estato, National Highwey No.B, Oop APMC Market Gate-1, Jetalour, District-Ahmedadad-382426 Gujaret, INDLA

Mobile No + +91-2069072001

Errail Id: Inb@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/07

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/8, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpane, District Chandrapur Maherashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type:

Sample Description: Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/07 Shallesh Pandey Ambient Air

Near Karvahi Village (Buffer zone) Temp-31°C/ Humidity-45%

Satisfactory

Sampling Start Date: Sampling End Date: Sample Receipt Date: Analysis start- End Date:

Total Sampling hours: Env. Cond.-Testing:

16/05/2025 17/05/2025 19/05/2025

19/05/2025-24/05/2025

24 25±5°C

| Sr.No | Parameters | Results | Unit | Test Method | Norms |
|---------|-----------------------|---------|-------|------------------|-------|
| 1 Parti | culate Matter (PM2.5) | 34.16 | µg/m3 | GGMPL/SOP/AA/60 | 60 |
| 2 Sulp | hur Dioxide (502) | 15.94 | µg/m3 | IS 5182-Part 2 | 80 |
| 3 Oxid | es of Nitrogen | 22.58 | μg/m3 | IS 5182- Part 6 | 80 |
| 4 Carb | on Monoxide (CO) | 1:05 | mg/m3 | IS 5182- Part 10 | - 4 |
| 5 Parti | culate Matter (PM10) | 65.71 | µg/m3 | IS 5182- Part 23 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS-Not Specified, BQL=Below Quantification Limit,QL= Quartific

Reviewed & Authorized by Gyarrvati Shuida

CHAN 5

- End of Report -

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This test report decurrents no GGAP, NYT, NYS shell not be reproduced record in full, without written opposed from the Govern Modifyrights Pril. Ltd. Test maults family had been thin report to the pomple received Report control to oppose This set open decreases of GAPA, APS, APS, and rate be reported accept in full, without written appeared here the Gaven Mechanisms. Per Ltd. Text mustur familiated here in the perspect content of a content on without price perspectation. That is appeared to the invited or introduction or which is neither interest on impact. The company or the familiar reported from the familiar processes and a solid years of the perspectation


Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No : +91-7069072001

Email Id: lab@gogreenmechenisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/08

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpone, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Description:

Env. Cond,-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/08

Shallesh Pandey

Ambient Air

Near Paramdoh Village (Buffer zone)

Temp-31°C/ Humidity-45%

Satisfactory

Sempling Start Date:

Sampling End Date:

Sample Receipt Date: Analysis start- End Date:

Total Sampling hours:

Env. Cond.-Testing:

16/05/2025

17/05/2025 19/05/2025

19/05/2025-24/05/2025

24

25#5°C

| Sr.No | Parameters | Results | Unit | Test Method | Norms |
|-------|----------------------------|---------|-------|------------------|-------|
| 1 | Particulate Matter (PM2.5) | 35.41 | µg/m3 | GGMPL/SOP/AA/60 | 60 |
| 2 | Sulphur Dioxide (SO2) | 13.08 | µg/m3 | 15 5182-Pert 2 | 80 |
| 3 | Oxides of Nitrogen | 20.89 | µg/m3 | IS 5182- Part 6 | 80 |
| 4 | Carbon Monoxide (CO) | 1.03 | mg/m3 | 15 5182- Part 10 | 4 |
| 5 | Particulate Matter (PM10) | 67.98 | ug/m3 | 15 5182- Part 23 | 100 |

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantific

Reviewed & Authorized by Gyanvati Shukla

Reviewed & Authorized by Manish Kumawat

Page No : 1/1

The lest report document to DOME, PV. 105 and rest or reproduced except in full, without without expensed from the flower downstream Pvs. Led. Test reports further from the region to the cample received however. Interview of the company of the comp



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedahad-382426 Gujarat, INDIA

Mobile No : +91-7069872001

Errail Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/09

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By:

Sample Type:

Sample Description:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/09

Shailesh Pandey

Fugitive Emission

Temp-29°C/ Humidity-51%

Satisfactory

Sampling Start Date:

Sampling End Date: Sample Receipt Date:

Working Area Near AQMS Station Sangoda Analysis start- End Date:

Total Sampling hours:

Env. Cond.-Testing:

25±5°C

16/05/2025

16/05/2025

19/05/2025

19/05/2025-24/05/2025

| Sr.No | Paremeters | Results | Unit | Test Method | Norms |
|-------|-----------------------------------|---------|-------|------------------|-------|
| 1 | Suspended Particulate Matter(SPM) | 286.65 | µg/m3 | IS 5182 (part 4) | |

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantific

Reviewed & Authorized by Gyanvati Shukla

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This test recent showment to 000MPLP1778S shall retice reproduced occupies that without without spaces from Ga. Green Machinisher Put. Lot. Test smaller from the countries reproduced received Report of as an initiated anywhere without prior pervision. Seed liability of our institution is finished by the invocand property of products in ealths interned not implicit. The companying which the finished by the (S). The Compare cooligis no hold the within span of source from which the complete later exist to be extracted. This document is located by the Company under its General Conditions of Service medical and account to the Service medical and Service medical and Service medical and service medical and service from an account of the Service medical and service medical and service from an account of the Service medical and service medical and service from an account of the Service medical and service medical and service from a service medical and service medical an while the beins at already reduced by the Company's sele responsibility to to the Court and this document document are personal to a transaction from concurring all than reprise one observations under the termination document. Any uncurrent action are not personal to the reduced one of the company of this document is unlessed and affirmed many by prosected to the fallest extent of the low. Unless of the servation of the content of the low. It is not the servation of the servation of the content of the content of the content of the low of the servation of the low of the



Deyel Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmadahari-382426. Gujarat, INDIA

Malale No : +91-7069072005

Email 1d : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/10

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



FC-Fets

SAMPLE DETAILS

Lab ID: Sample Drawn By: Sample Type: Sample Description; Env. Cond.-Sampling:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/10 Shailesh Pandey

Fugitive Emission Near Mines Weigh Bridge Temp-29°C/ Humidity-51%

Satisfactory

Sampling Start Date: Sampling End Date: Sample Receipt Date:

Analysis start- End Date: Total Sampling bours

Total Sampling hours: Erw. Cond.-Testing: 16/05/2025 16/05/2025

19/05/2025 19/05/2025-24/05/2025

8 25±5°C

| Sr.No | Parameters | Results | Unit | Test Method | Norms |
|----------|------------------------------|---------|-------|------------------|-------|
| 1 Susper | nded Particulate Matter(SPM) | 301.83 | µg/m3 | IS 5182 (part 4) | |

NS-Not Specified, BQL-Below Quantification Limit,QL- Quanti

There

Reviewed & Authorized by Gyanvati Shukla AHMEDABAD W

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

Terms & Conditions

This test report determine to COMPLET, TOTS shall not be reproduced accept in fall, without written approved how Go Green Mechanisms Pv. Ltd. Test results furnished became this report to the except resolution is sometimes acquired without price premission. This despite of our institution is included to the through operating of the property included to the complete section of the property device and it is provided by the complete of the property of the sample included to the provided by the complete of the property of the sample included to the property of the sample of the sample of the property of the sample of the sample of the property of the sample o



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426

Mobile No : #91-7669072001

Email (d.: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/11

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,VIIIage Sangoda,

Lehsil Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Lab ID:

Sample Drawn By: Sample Type: Sample Description:

Env. Cond.-Sampling: Env. Cond.-Sample Receipt: Lab/PN/436E/134/11

Shailesh Pandey **Fugitive Emission**

Working Area Near Temple Temp-29°C/ Humidity-51%

Satisfactory

Sampling Start Date:

Sampling End Date: Sample Receipt Date: Analysis start- End Date:

Total Sampling hours:

Env. Cond.-Testing:

16/05/2025

16/05/2025 19/05/2025

19/05/2025-24/05/2025

25±5%

| Sr. No | Parameters | Results | Unit | Test Method | Norms |
|--------|-------------------------------|---------|-------|------------------|-------|
| | ended Particulate Matter(SPM) | 275.97 | µg/m3 | 15 5182 (part 4) | |

NS=Not Specified, BQL=Below Quantification Limit,QL= Quartificted (v)

Reviewed & Authorized by Byanvati Shukla



Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This test resort document are GGAPLANT, INCS shall not be reproduced account in full, without written approved from the documentary have find the improved the property of the complex incurrent Regional account for the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find the property of the complex incurrent for any find The depth of the first price of the complete of the control of the



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalour, District-Ahmedabad-382426 Gujarat, INDIA

Nobile No : +91-7069072801

Email Id: leb@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/12

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B, Village Sangoda,

Tehsil Korpana, District Chandrapur Meharashtra

Reporting Date: 24/05/2025



SAMPLE DETAILS

Sampling Instrument: Sound Level Meter

Sample By

Shailesh Pandey

Sampling Date:

Sample Description:

16/05/2025

Source Noise

| r.No | Lab Id | Location | Time | Unit | Test Method | Reading | Norms |
|------|------------------------------|-----------------------------------|------------|----------|-------------|---------|-------|
| 1 | Lab/PN/436E/13 Lea 4/12A | se Boundary Sangoda Mine East | Day Time | dB(A)Leq | IS 4758 | 64.7 | |
| 2 | Lab/PN/436E/13 Lea 4/12B | se Boundary Sangoda Mine West | Day Time | dB(A)Leq | IS 4758 | 65.6 | |
| 3 | Lab/PN/436E/13 Lea 4/12C | se Boundary Sangoda Mine North | Day Time | dB(A)Leq | IS 4758 | 61.3 | - |
| 4 | Lab/PN/436E/13 Los 4/12D | se Boundary Sangoda Mine South | Day Time | dB(A)Leq | IS 4758 | 63.4 | |
| 5 | Lab/PN/436E/13 Lea 4/12A | se Boundary Sangoda Mine East | Night Time | dB(A)Leq | IS 4758 | 61.8 | |
| 6 | Lab/PN/436E/13 Lea: 4/12B | se Boundary Sangoda Mine West | Night Time | dB(A)Leq | IS 4758 | 62.5 | .5 |
| 7 | Lab/PN/436E/13 Leas 4/12C | se Boundary Sangoda Mine North | Night Time | db(A)Leq | 15 4758 | 59.8 | - |
| 8 | Lab/PN/436E/13 Leas 4/12D | se Boundary Sangoda Mine South | Night Time | dB(A)Leq | IS 4758 | 51.3 | |

NS-Not Specified, BQL=Below Quantification Limit,QL= Quantific



Reviewed & Authorized by Gyanveti Shukla



Reviewed & Authorized by Manish Kumawat

Page No : 1/1

This tast report document no COMPLET 7005 shall not be repetitived except in full, without wides representence Go Good Machanisms Per, Leit Test results furnished bearing the report to the sample received Report Connect be used. This test report document no USAPLEY 765 shall not be reported except in fall, without widen representative or conductor and training and the provided property of the second conductive or conductor or conductor or provided by the provided or conductive or conductor or provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows to be reported for the provided by the follows the follow

ANNEXURE-VIII YEAR WISE EMP EXPENDITURES DETAILS

All Figures are in Rs. Lakhs

| SN | Activity | FY 2021-22 | FY 2022-23 | FY 2023-24 | FY 2024-25 | FY 2025-26 As on Sep-25 |
|----|-----------------------------------------------|------------|------------|------------|------------|----------------------------|
| 2 | Fugitive Dust Emission Control Measures | 0.0 | 0.4 | 0 | 4.02 | 1.85 |
| 3 | Environment Monitoring | 0.0 | 2.8 | 53 | 2.52 | 2.824 |
| 4 | Construction of Drainage for water management | 0.0 | 0.5 | 0 | 0 | 0 |
| 6 | Green Belt Development | 0.0 | 0.4 | 1.8 | 11.6 | 0.305 |
| | Total | 4.0 | 4.0 | 54.8 | 18.14 | 4.98 |
| | Grand Total | | | 85.92 | | |



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedebed-382425 Gujarat, INDIA

Mobile No : +91-7069072001

Email Id : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/18 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpena, District Chandrapur Maharashtra



TC-7078

SAMPLE DETAILS

tab ID: Lab/PN/436E/134/18 Sampling Date: 17/05/2025 Sample Drawn By: Shallesh Pandey Sample Receipt Date: 19/05/2025 Sample Type. Sail Analysis Start Date: 19/05/2025 Sample Description: Sangoda Mine Pit Analysis End Date: 24/05/2025 Sample Quantity: 2 kg Sampling Method: GGMPL/WI/27F Sample Condition: Satisfactory Packing: Sealed

| Sr.No | Parameters | Results | Unit | Test Method | Norm |
|-------|-------------------------|----------|-------|---------------------------------|------|
| 1 | Available Phosphorus | 2.06 | mg/kg | GGMPL/SOP/SOIL/44 | |
| 2 | рн | 7.74 | 37 | IS 2720-Part 26 | 20 |
| 3 | Electrical Conductivity | 672.5 | uS/cm | 19 14767 | * |
| 4 | Iron | 5426.54 | mg/Kg | USEPA Method 3051A | * |
| 5 | Chloride | 2138.47 | mg/kg | GGMPL/SOP/SOIL/45 | € |
| 6 | Organic Matter | 0.71 | 1/6 | 1S 2720 (Part XXII) | 25 |
| 7 | Sodium | 1247.39, | mg/kg | USEPA Method 3051A | 20 |
| 8 | Water Holding Capacity | 40.02 | % | IS 14765 | - |
| 9 | Sulphate | 19.12 | mg/kg | IS 2720(Part 27)-1977 (RA 2015) | +4 |
| 10 | Available Potassium | 133.00 | kg/ha | GGMPL/SOP/Sail & Sediment/05 | |
| 11 | Available Nitrogen | 241.89 | kg/ha | GGMPL/SOP/Soil & Sediment/14 | *8 |
| | | | | | |

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by Gyanvati Shukla

CHAN

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

Three A Confidence |
The least report also current rat OSAPE, PT 70% chair not be represented except in faul, without writter approach from the Companies PV. (18) less regalls furnished better the acceptable of the proposed from the Confidence of the control of the confidence of th collect are to the retailment on specifical. This receives exerce the report of collect price is not to retain a specifical. This receives exerce to report is postor; in Armedicad particulation.



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalgur, District-Ahmedabad-382426 Gujarat INDIA

Nobile No: =91-7069072001

Email Id: leb@gogreermechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/436E/134/18A

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsii Korpana, District Chandrapur Maharashtra

Reporting Date: 24/05/2025

SAMPLE DETAILS

Lab ID:

Lab/PN/436E/134/18

Sampling Date:

17/05/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

19/05/2025

Sample Type:

Soil

Analysis Start Date: Analysis End Date:

19/05/2025 24/05/2025

Sample Description: Sample Quantity:

2 kg

Sangoda Mine Pit

Sampling Method:

GGMPL/W1/27F

Sample Condition:

Setisfectory

Packing:

Sealed

| St.No. | - Parameters* | Results | Unit | Test Method | Norm |
|--------|-----------------------|---------|-----------|------------------------------|------|
| 1 | Total Phosphorus As P | 4.78 | mg/kg | GGMPL/SOP/SOIL/44 | * |
| 2 | Nitrate | 7.02 | mg/kg | GGMPL/SOIL/SOP-57 | * |
| 3 | Phosphate As PO4 | 14.34 | mg/kg | GGMPL/SOP/SOIL/44 | ¥1 |
| 4 | Exchangeable Cakium | 10.03 | meg/100gm | GGMPL/SOP/Suil & Sediment/48 | - |
| 5 | Total Nitrogen | 117.02 | mg/kg | GGMPL/SCP/Soil & Sediment/69 | |

NS-Not Specified, BQL-Below Quantification Limit,QL- Quantification Limit

Reviewed & Authorized by Gyeriveti Shukla

Reviewed & Authorized by Manish Komewat

Page No : 1/1

This test report secured no GGMPLT/7765 shell not be reproduced except in full, without vertical appearables in Secure Machine in PALLIAL Test sender functional bearing the fire margin control and appearable service in the secure transfer. as at extension anywhere without place promission total limitary of our resolution is britted to the invesced present Endorsement of products is matter interest rar implied. The company to which the Findings incredes treatment of products in matter interest rar implied. The company of the c within the firsts of clients restrictions. If any, The Company's sole responsibility is to its Client and this document does not economic parties to a transaction from sourcining at their regime and obligations under the transportant florament. Any uncontrolled obligation is forced by a foliable from the company of the properties of the document in unfound and effective regions outside the folials advant of the toy. Defeat otherwise stated the masks about a first settle quarter when the company of the stated and is unforted to transport or regions over 16 day, the controlled information and the state of the company of of the comp



Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jotalpur, District-Ahmedebad-382426 Gujerat. INDIA

Mobile No : +91-7069072001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/18 Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,, Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra



SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/L34/18

Sampling Date:

11/08/2025

Sample Drawn By:

Shallesh Pandey

Sample Receipt Date:

13/08/2025

Sample Type:

Analysis Start Date:

13/08/2025

Sample Description:

Sangoda Mine Pit.

Analysis End Date: Sampling Method:

19/08/2025 GGMPL/WI/27F

Sample Quantity: Sample Condition:

Satisfactory

2 Kg

Packing:

Sealed

| Sr.No | Parameters | Results | Unit | Test Method | Norm |
|-------|-------------------------|---------|-------|---------------------------------|------|
| 1 | Available Phosphorus | 2.24 | mg/kg | GGMPL/SOP/SOIL/44 | |
| 2 | pH | 7.18 | ** | IS 2720-Part 26 | 3.5 |
| 3 | Electrical Conductivity | 786.3 | u5/cm | IS 14767 | * |
| 4 | Iron | 8086.84 | mg/Kg | USEPA Method 3051A | |
| 5 | Chloride | 2499.23 | mg/kg | GGMPL/SOP/SO1L/4S | - |
| 6 | Organic Matter | 0.68 | 56 | IS 2720 (Part XXII) | -12 |
| 7 | Sodium | 1560.62 | mg/kg | USEPA Method 3051A | |
| В | Water Holding Capacity | 43.52 | 96 | IS 14765 | |
| 9 | Sulphate | 60.55 | mg/kg | IS 2720(Part 27)-1977 (RA 2015) | 9 |
| 10 | Available Potassium | 145.26 | kg/ha | GGMPL/SOP/Soil & Sediment/05 | \$ |
| 11 | Available Nitrogen | 144.14 | kg/ha | GGMPL/SOP/Soil & Sediment/14 | |

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by Tantan Kumar



Reviewed & Authorized by Manish Kumawat

Page No: 1/1

This test report document no DOMPLAYTTES shall not be represented except in No. without writter approach from Go Green Machinetes Pvt. List. Test insules far report to the report to the report as one evidence anywhere without prior parricular. Test failed failedly of our institution is limited to the invoiced encept. Endospersons of products to neither information or implied The perspection which the findings recorded horses place. "Findings" risks with health forward of the provided by the altern or by a final party unling at the sheet's absolute. The findings constitute a variously of the parently representative error of any goods are solute by expected to. The Contents complete the final and the provided to the content of the parently of the Content of the parently representative error of the parently of the content of the parently of the p is played to the firefeld of liability. Independent analysis district in a successful in the deciment is never set to reverse the consistent information contained thereon setters the companies features of the intervention of all sets of all sets of the containing all that rights and adaptace under the reverse time to contain the firefeld of all sets of the containing all that rights and adaptace under the reverse time. Accuments. Any uncodes load alteration, Regard or Relational of the context or appearance of this incoment is provely and offenders may be presented to the fall and context of this incoment of the incoment of the context of the con at he reproduced except in till. Without pales Arithur approved of the company. Any dispute policing out of this text report is subject to Atomicistical judicidistics.



Dayel Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District Ahmedabad-382426 Gujarat, INDIA

Mobile No : +91-7069972001

Email Id: lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/1255E/134/18A

Dalmia Cement (Bharat) Ltd.

Sangoda Lime Stone Mines, 3/1, 3/2/A, 3/2/B, 3/3/A, 3/3/B,,Village Sangoda,

Tehsil Korpana, District Chandrapur Maharashtra

Reporting Date : 21/08/2025

SAMPLE DETAILS

Lab ID:

Lab/PN/1255E/134/18

Sample Drawn By:

Shallesh Pandey

Sample Type:

Soil

Sample Description:

Sangoda Mine Pit

Sample Quantity:

2 Kg

Sample Condition:

Satisfactory

Sampling Date:

11/08/2025

Sample Receipt Date:

13/08/2025

Analysis Start Date:

13/08/2025

Analysis End Date: Sampling Method: 19/08/2025 GGMPL/WI/27F

Packing:

Sealed

| Sr.No | Parameters* | Results | Unit | Test Method | Norm | |
|-------|-----------------------|---------|-----------|------------------------------|------|--|
| 1 | Total Phosphorus As P | 3.94 | mg/kg | GGMPL/SOP/SOTL/44 | | |
| 2 | Nitrate | 6.32 | mg/kg | GGMPL/SOIL/SOP-57 | | |
| 3 | Phosphate As PO4 | 9.38 | mg/kg | GGMPL/SOP/SOIL/44 | 31 | |
| 4 | Exchangeable Calcium | 8.74 | meq/100gm | GGMPL/SOP/Soil & Sediment/48 | 2 | |
| 5 | Total Nitrogen | 229.72 | mg/kg | GGMPL/SOP/Soil & Sediment/69 | | |
| | | | | | | |

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

10

Reviewed & Authorized by Tantan Kumar AHNIEDABAD S

Reviewed & Authorized by Manish Kumawat

Page No: 1/1

Torms & Conditions

This her report document to initially (A)? (All shot and be expectated except in fail, without register or agreed from the Green Medicinisms of products is results from the report to the complete which the findings recorded beautiful to an initial some or agreed or agreed to a produce or agreed
PLANTATION PHOTOGRAPHS



PLANTATION PHOTOGRAPHS

