

newthink! cement! sugar! refractories! power!

Date: 27th May 2025

To

The Deputy Director, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Green House Complex, Gopal Reddy Road, Vijayawada- 520010 Andhra Pradesh.

Dear Sir,

Sub: Submission of Half Yearly Environment Clearance Report of M/s. Dalmia Cement (Bharat) Limited, at Village Chinnakomerla, Mylavaram Mandal of YSR Kadapa District in Andhra Pradesh – Reg Ref: File No. J-11011/76/2007-IA.II (I) (T), Dated: 5th April, 2007

With reference to the subject sited above, we are here with furnishing the compliance report to stipulated conditions of Environmental clearance in soft copy for the period of 1st October 2024 to 31st March 2025 of M/s Dalmia Cement (Bharat) Limited, Chinnakomerla, Mylavaram Mandal of YSR Kadapa of AP- 516433.

This is for your kind information and office records please acknowledge the receipt of the same.

Thanking you

Yours Faithfully

For Dalmia Cement Bharat Limited,

**Authorized Signatory** 

Chandra Hasa Reddy, V **HOD-Safety & Environment.** 

**Enclosures:** As above

CC to Environmental Engineer- APPCB, RO-Kadapa

**Present Status: Running Plant** 


Period: October 2024 to March 2025

S.	Condition	Our Compliance Status
No	A. Specific Conditions	
	The gaseous emissions from various units shall	Complied.
1	conform to the standards prescribed by the concerned state pollution control board (SPCB) or by the ministry, whichever is stringent. Bag filter system shall be provided for flue gas instead of conditioning towers. SPM emission from all the stacks, including	Bag houses have been installed for Raw mill, Coal mill, Cement mill-1 & Cement mill-2 each and ESP for cooler to control dust emission from stacks, in addition to this 36 no. of Bag filters have been installed at various locations. The installed pollution control equipment confirmed to meet
	CPP will be <50 mg/nm3. The CPP will be based on AFBC technology and will have Air cooled condenser system for cooling of water CPP.	desired equipment standard 30mg/nm³ as revised by Gazette Notification G.S.R 612(E) dated 26 <sup>th</sup> August 2014 and as amended vide Gazette Notification G.S.R 497(E) dated 10 <sup>th</sup> May 2016.
	±:	S.No. Location of Type Number APCD
		1 Raw Mill/Kiln Bag House 1
		2 Coal Mill Bag House 1
		3 Cooler ESP 1
		4 Cement Mill -1 Bag House 1
		5 Cement Mill -2 Bag House 1
		6 Various Transfer Bag Filter 36
		The major stacks i.e. Stack attached to Raw Mill/Kiln, Coal Mill, Cement Mill-1, Cement Mill-2 and Cooler are equipped with Online Continuous Emissions Monitoring System (CEMS) and monitored data is being transmitted regularly to APPCB and CPCB websites. Further, Stack monitoring is also being carried out through MOEF&CC recognized third party laboratory accredited by NABL. Monthly reports are being submitted to regional pollution
		control board office & Regional Office of MoEF&CC on Half-Yearly Basis. Monitoring report summary enclosed as Annexure-1
	-14	At present CPP not commissioned.
		×


Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

Period: October 2024 to March 2025







**Covered Sheds** 

Raw Mill/Kiln Bag House

**Bag Filters at Transfer Towers** 

The unit shall use the high calorific hazardous waste in their kiln. The relevant designed factors shall be incorporated at the inception stage itself.


#### Complied


- The system for using the high calorific hazardous waste in kiln was incorporated.
- We are using Hazardous and non-Hazardous waste like Organic spent solvents liquids and solids, spent carbon, Process Residues, RDF, Plastic Waste, FRP Waste and Biomass etc. For FY 2025, our TSR was 33.5%
- The permission from APPCB to use various high calorific value hazardous waste in Kiln has been obtained vide APPCB/KNL/TPT/102/HO/2020-3378 dated 03.11.2020. and Amendment Order No.365704 / APPCB/KNL/KDP/CFO&HWA/HO/2023 dated 29.03.2023
- CPCB registration has been made for co-processing of hazardous waste in our Kiln vide letter no. B-33014/2015/PCI-II/6645 dated on 27.01. 2016. And B-33014/2015/PCI-II/21412 dated on 22.3.3016.

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

Period: October 2024 to March 2025








Mechanized system for unloading and feeding AFR weigh feeder and Rotary airlock.

5KL/Hour through calciner and 10KL/Hour through Kiln, Storage Capacity of 50KL Storage capacity of 100MT.



Newly Constructed Shed for Handling AFR materials

The height of the stack for raw mill and kiln will be 90m and for CPP it will be 110m. Bag house will be installed at all other emission points except the cooler exhaust. Bag filters will be provided at all material handling and transfer locations. Low NOx burners shall be installed to control NOx emissions and lime injection shall

3

#### Complied

- The height of the stack attached to Raw Mill/Kiln is 162m, Coal Mill is 65 m, Cooler 41m and Cement mill 46.5. CPP is not commissioned.
- Bag houses have been installed for Raw mill, coal mill, cement mill and ESP for Cooler. 36 no's of bag filters have been installed at material

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

#### **Present Status: Running Plant**

Period: October 2024 to March 2025

be carried out to reduce SO2 emissions, if required	1	nandling and transfourners/SCNR to re SO2 emission as a only <1% and fuel 3.5. Therefore, lime The NOx and Sox vocalow the specified	educe NOx the Sulphur cont Coal is 2-3% a injection is values are bei	nere is no problem ent in Lime stone b. Pet coke is 7.5 not required.	of is
Continuous On-line monitors for particulate emissions, SO2 and NOx in raw mill/kiln clinker cooler, coal mill, cement mill etc. Shall be provided and shall make necessary arrangements for submission of On-line real time emission data to CPCB website. Interlocking system shall be provided between pollution control equipment and the process operation so that in the event of pollution control equipment not working, the respective unit(s) shutdown automatically.	paramete the circu 29016/04 time data	ous On-line monito ers are being monit lar issued by CBCI 4/06/PC-II dated 23 a is being transmitt. OCEMS have bee	ored continue B vide letter: 3rd Dec 2016 ed to APPCE	ously as per no B- and the real 3 and CPCB	
		Coal Mill	. W.	DN4	
	3	Cooler	Yes Yes	PM PM	
	4	Cement Mill	Yes	PM	ı
	5	Bag Filters	Not	Not	f
		Dag Thiers	Required	Required	
	p	Interlocking system of the control expends of the control expends on the control expenses the control of the co	m have bee	n provided, when	
Acoustic enclosures will be provided at all high noise equipment and place to limit the noise	Complied				

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

Period: October 2024 to March 2025

110	coent Status. Running I fant	1 criod. October 2024 to Waren 2025
	levels below 85 dBA.	Acoustic enclosures are provided at various
		locations like compressor houses, Process fans to
5		bring down noise levels within the desired level.
		<ul> <li>Sign board are placed at high noise areas to caution workers working in the area.</li> </ul>
	`	Necessary PPE is given to employees to prevent high
		noise exposure. The regular noise levels is being
		monitored and communicated to respective section i
		charge for necessary action.
		Further the noise levels are monitored at 10 locations
		during day and night time through MOEF&CC
		recognized third party laboratory accredited by NABL on
	1	monthly basis and the Ambient levels are within the limits
		as per the CPCB standards.
6	Regular ambient air quality monitoring shall be carried out. The monitoring stations will be set up in consultation with the state pollution control board. It will be ensured that at least one monitoring station is set up in up-wind and in down-wind direction along with those in other directions. On-line data for air emissions shall be transfer to the CPCB and APPCB regularly, the instruments used for ambient air quality monitoring shall be calibrated regularly.	<ul> <li>We have installed two continuous online systems (CAAQMS) in consultation with CPCB for monitoring of Ambient Air Quality for PM10, PM2.5, SO2 and NOx along with Meteorological parameters like temperature, Humidity, Solar Radiation, Rainfall, Wind Speed etc. The stations were installed one at one at upwind and one at down wind direction. The real time CAAQM data is being uploading to APPCB and CPCB website. The instrument used for Ambient Air Quality monitoring are calibrated regularly as per OEM recommendations.</li> <li>Installation of 3<sup>rd</sup> CAAQMS in our plant has been completed and Data is being uploaded.</li> <li>Apart from above we are also monitoring ambient air quality on monthly basis by NABL accredited third party at 4 locations which covers four side of the plant periphery.</li> </ul>

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

1. 110 KVA substation

- 2. Near Mines gate
- 3. Near Gate No.2
- 4. Near Athithi Guest House.

Period: October 2024 to March 2025



#### 3<sup>rd</sup> Movable CAAQMS

Fugitive emission shall be <500mg/m3. bag filters shall be provided for all stacks except CPP boiler and cooler where ESP shall be provided.

#### Complied.

- We have laid concrete roads at AFR Solid shed area and coal yard area.
- We have taken precautions and following to mitigate fugitive emissions.
- Bag houses have been installed for Raw mill, Coal mill, Cement mill and ESP for cooler. 36 no. of Bag filters installed at material handling areas and transfer locations.
- Provided covered sheds for material storage and covered materials conveying systems and hoppers. The materials are being transported in covered conveyor belts to avoid fugitive

7

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

Period: October 2024 to March 2025

8	The regular monitoring of the fugitive emission shall be carried out by the unit as per the CPCB guidelines.	emissions. The dry fog system installed at Coal and lime stone unloading points, at all the transfer points, Stock piles to arrest free release of dust.  • We have installed Water sprinkler system at Coal yard to prevent fugitive emission.  • Thick green belt has been developed along the periphery of the plant.  • In addition to this we have 2 no. of high-volume sweeping machines and 12 no. of hand operated vacuum sweeping machines to maintain good housekeeping. Water spraying is done on roads to suppress vehicular fugitive dust.  • The roads in Plant and Township are made of Bituminous/Concrete.  • The vehicle speed is restricted to 20kmph to prevent fugitive dust.  • We have newly laid 0.6 km of CC road Raw Material Handling area.  Complied.  • MoEF&CC recognized third party laboratory accredited by NABL monitor the Stack and Fugitive emission. Monthly reports are being submitted to Regional Pollution Control Board office and Regional MoEF&CC office on half yearly basis.  • Ambient and stack emission reports are attached as annexure-1.
9	Raw materials will be stored in covered yards and clinker in silos to control fugitive emissions. Fugitive emissions from cement mill, packing plant and coal yard shall also be controlled.	<ul> <li>Complied.</li> <li>Raw materials stored under covered yards, clinker &amp; fly ash in silos. Fugitive emissions are being controlled by providing:</li> <li>Bag houses have been installed for Raw mill, coal mill, cement mill and ESP for Cooler. 36 no's of bag filters have been installed at material handling and transfer locations.</li> <li>Provided covered sheds for materials storage and covered material conveying systems and hoppers.</li> <li>Fog system has been provided on belt conveyors to suppress dust. Provided water suppression system at all transfer points and hoppers.</li> <li>We have installed sprinkler system in coal yard</li> </ul>


Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April, 2007

#### **Present Status: Running Plant**


Period: October 2024 to March 2025

to prevent fugitive emission.

- Thick Green belt has been developed all along the periphery of the Plant.
- In addition, we have 2 no's of high volume sweeping machines and 12 hand operated vacuum sweeping machines to maintain good housekeeping. Water spraying is done on roads continuously to suppress the fugitive emissions.
- The materials are being transported in covered conveyor belts to avoid fugitive emissions. The dry fog system is installed at coal and Lime stone unloading points, at all the transfer points, stock piles to arrest free release of dust.
- The roads in the plant and township are made of bitumen/concrete.
- The vehicular speed is restricted to 20 kpmh to prevent fugitive emission□









Coal & Additive yard

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

Period: October 2024 to March 2025





Clinker Silo

Fly Ash Silo


Vacuum dust cleaning system will be provided to evacuate dust on floors. All roads will be swept with sweeping machines. Material will be transported in tippers, covered trucks, covered containers covered rail wagons etc. dust collectors and extraction system(suction apparatus) shall be installed to control fugitive dust emissions at coal and lime stone unloading points, at all the transfer points, stock piles to arrest free release of dust.


#### Complied.

- we have deployed 2 nos of high-volume sweeping machines and 12 hand operated vacuum sweeping machines to maintain good housekeeping. Water spraying is done on roads continuously to suppress the fugitive emissions. The collected dust is being recycled in the process.
- The material is being transported in covered conveyor belt to avoid fugitive emissions.
- The dry fog system installed at Coal and Limestone unloading points at all the transfer points, stock piles to arrest free release of dust.
- The roads in Plant and Township are made of Bituminous/Concrete.
- Mechanized dust suppression system installed at RMH area to prevent fugitive emission.
- The vehicular speed is restricted to 20 kpmh to prevent fugitive emission

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

Period: October 2024 to March 2025 **Present Status: Running Plant** 







**Covered Conveyor Belts** 

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

#### **Present Status: Running Plant**

Period: October 2024 to March 2025


	Wind breakers will be installed to restrict fugitive	Complied.
11	dust.	<ul> <li>No open stock piles are in the plant. All materials stored under covered sheds or silos.</li> <li>3585 saplings planted during FY 2024-25 such as Neem, Kanuga, Tamarindus, Sacred fig, felto farm etc. has been planted to develop thick green belt along the plant periphery. The thick green belt act as a wind breaker to prevent fugitive emissions transportation through wind. Clinker silo provided with wind barriers. All the transfer towers closed with sheets.</li> </ul>
12	Water sprinkling system should be made in the raw material stock yard and cement bag loading areas. Regular water sprinkling shall be carried out at all areas where fugitive dust can be generated	<ul> <li>Raw materials transportation is done by covered conveyor belts. Fog system also installed on covered belts and crusher to avoid fugitive emissions.</li> <li>Water sprinklers have been installed at coal yards, RMH area to prevent fugitive emission.</li> <li>Regular water sprinkling can be done at all areas where fugitive dust can be generated.</li> </ul>
13	For cooling towers of CPP will have Air cooled condensers	CPP is not commissioned.
	Copy of water withdrawal permission from the relevant authority shall be submitted before	Complied.  We have Obtained ground water withdrawal
/		


Period: October 2024 to March 2025

dated on 02.01.2024. NOC renewal will be done within the stipulated time.  15 No waste water will be generated in cement manufacture. The waste water from CPP and domestic activities shall be treated in effluent treatment plant(ETP) and sewage water reclamation plant (SWRP) respectively and recycled /reuse in cement plant for makeup, in CPP for cooling, dust suppression, other plant related activities and Green belt development. no waste water will be released outside the premises. 'Zero discharge' shall be strictly adopted.   dated on 02.01.2024. NOC renewal will be done within the stipulated time.  Complied.  No waste water is being generated from Cement The domestic activities waste water is being treat Sewage Treatment plant and reused for process green belt development. Hence no water is released outside the plant premises. "ZERO Li discharge is strictly adapted.  The worked mined out area used for storage of			
<ul> <li>manufacture. The waste water from CPP and domestic activities shall be treated in effluent treatment plant(ETP) and sewage water reclamation plant (SWRP) respectively and recycled /reuse in cement plant for makeup, in CPP for cooling, dust suppression, other plant related activities and Green belt development. no waste water will be released outside the premises. 'Zero discharge' shall be strictly adopted. during monsoon, the waste water will be</li> <li>No effluents are generated during commanufacturing process.</li> <li>No waste water is being generated from Cement The domestic activities waste water is being treat Sewage Treatment plant and reused for process green belt development. Hence no water is released outside the plant premises. "ZERO Lindischarge is strictly adapted.</li> <li>The worked mined out area used for storage of the control of the con</li></ul>	14	starting the project.	letter no. PRR05-11028(31)1/2021-SLNA-GIS-CORD dated on 02.01.2024. NOC renewal will be done within the
be provided and storm water from CPP area will be stored in a settling tank before discharge in to the nallah.  • Rain water Harvesting ponds have been constructed in a settling tank before discharge in to the harvesting ponds. The storm water drains are connected to harvesting ponds. The harvested rain water is	15	manufacture. The waste water from CPP and domestic activities shall be treated in effluent treatment plant(ETP) and sewage water reclamation plant (SWRP) respectively and recycled /reuse in cement plant for makeup, in CPP for cooling, dust suppression, other plant related activities and Green belt development. no waste water will be released outside the premises. 'Zero discharge' shall be strictly adopted. during monsoon, the waste water will be stored in the mines pit. separate storm water drains will be provided and storm water from CPP area will be stored in a settling tank before discharge in to the	<ul> <li>No effluents are generated during cement manufacturing process.</li> <li>No waste water is being generated from Cement plant. The domestic activities waste water is being treated in Sewage Treatment plant and reused for process and green belt development. Hence no water is being released outside the plant premises. "ZERO Liquid" discharge is strictly adapted.</li> <li>The worked mined out area used for storage of rain water during monsoon.</li> <li>Rain water Harvesting ponds have been constructed. The plant and colony Roof water is diverted to harvesting ponds. The storm water drains are connected to harvesting ponds. The harvested rain water is being used for recharging the ground water and various process activities to conserve fresh water.</li> </ul>


Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007







**Sewage Treatment Plant** 




Rain Water Harvesting Pit

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

Period: October 2024 to March 2025



Plant inside Rain Water Harvesting Pond

	Solid	waste	generated	shall be	e 100%:	recycled	and
- 11		1 .	. 4		1. 1		

6 reutilized in the process and no solid waste

#### Complied.

• Solid waste generated from process is 100%

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April, 2007

#### **Present Status: Running Plant**

17

#### Period: October 2024 to March 2025


shall be disposed of outside the plant premises. The solid waste will be dumped in the low-lying areas and		recycled back in the Cement manufacturing process.  Organic sludge generated from sewage treatment plant
area thus filled up/reclaimed shall be used for		is being used as fertilizer for trees.
plantation.	•	Organic domestic waste generated in colony and canteen is used for Vermi composting/ Biogas
		generation.

Horticulture waste is being used as Bio-mass in Coprocessing.

shall Verma be adopted composting for disposing off- bio-degradable waste from the domestic sources.

#### Complied.

Vermi compost unit is made and compost being used for green belt development.





Organic Waste Converter Machine obtained organic Manure

#### **Present Status: Running Plant**


Period: October 2024 to March 2025

18	180 TPD of fly ash generated from CPP will be transported pneumatically to the cement plant fly ash silos and shall be 100% utilized in Portland provolone cement production. Bottom ash shall be used in the raw mill and used for land filling. Treated STP sludge shall be used as manure for Green Belt development. Waste oil sludge shall be re-used in the plant and finally burned in the kiln or sold to authorized recyclers/re-processors.	<ul> <li>Complied.</li> <li>CPP is not commissioned till now, hence no bottom/Fly ash is generated.</li> <li>Treated STP sludge used as a manure for greenbelt development.</li> <li>Waste/used oil sludge is being re-used in plant for coprocessing activity. We have obtained CFO for coprocessing the same.</li> </ul>
19	The company will strictly follow all the recommendations mentioned in the charter on corporate responsibility for environment protection(CREP).	• Recommendation of CREP is implemented. We have carried out various CSR activities to uplift the community. The activities are mainly focused on Soil, Water and Energy conservation as well as livelihood. The CSR activity details for the period October 2024 to March 2025 attached as Annexure-2.
20	33% of the total area shall be developed as a Green Belt.	• We have planted 120000 saplings in 50 ha. In plant and Colony. Thick greenery developed along the periphery to observe fugitive dust and Noise. The native saplings are planted to increase the survival rate. 10000 no.of Bamboo saplings planted to use as alternate fuel to replace the natural resource coal.

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

Period: October 2024 to March 2025



Thick Green Belt in around the Plant

The company shall must harvest surplus as well as rain water from the roof tops of the buildings proposed in the expansion project and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.


#### Complied.

- Total Rainwater Harvesting Capacity=2400000KL
- Plant Rain Water Harvesting Capacity=30000KL
- The storm water drains are connected to Rain water harvesting ponds. The harvested water is being allowed for recharging of ground water as well as used in the plant for process activities.
- STEP wells also made for ground water recharging purpose.

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007


**Present Status: Running Plant** 


Period: October 2024 to March 2025



**Rooftop Harvesting in Colony** 

**Storm Water Drains connected to Pond** 





**Drain Water Harvesting Pit** 

**Plant Rain Water Harvesting Pond** 

Studies on noise dosimetry and audiometry to assess the noise induced hearing loss in case of exposed employees will be carried out and the appropriate ameliorative measures will be taken, where ever necessary.

#### Complied.

• The pre and Post employment medical checkup were done. Further periodic medical checkup is being done for noise dosimeter and audiometry.

Period: October 2024 to March 2025

	B. General Conditions.	
1	The projects authorities must strictly adhere to the stipulations made by the state pollution control board (SPCB) and the state government.	Complied and noted for future compliance.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Complied.  Now, we have proposed for an expansion for which Prior Environmental Clearance is being obtained. TOR has been obtained vide MoEF&CC letter dated 10th July 2019 for expansion of Integrated cement plant (Clinker2.6 MTPA to 5.85 MTPA; Cement-2.5 MTPA to 6.56 MTPA; WHRS-12 MW to 27 MW) along with installation of Solar Power Plant.  Latest We have got CFO for 0.54 Mn.Ton for Cement Production expansion on 30.03.2024 valid up to 28.02.2029.
3	Adequate number of influent and effluent quality monitoring stations shall be set up in consultation with the SPCB. Regular monitoring shall be carried out for relevant parameters.	Complied.  •The sewage treatment Plant water inlet and outlet is being monitored by MOEF&CC recognized third party laboratory accredited by NABL on monthly basis for the parameters like pH, TDS, TSS, BOD and Oil & Grease. All the values are within the CPCB stipulated norms.
4	The project proponent shall also comply with the all Environmental protection measures and safeguards recommended in the EIA/EMP report.	Complied.
5	Industrial waste water shall be properly collected and treated so as to conform to the standards prescribe under GSR 422 E dated 19th May 1993 and 31st December 1993 or as amended from time to time.  The treated waste water shall be utilized for plantation purpose.	<ul> <li>Complied.</li> <li>No effluent is being generated during cement manufacturing.</li> <li>The domestic water is being sent to Sewage Treatment Plant and after treatment, treated water being used for Process as well as Gardening. The STP outlet water is monitored regularly by authorized third party on monthly basis and the outlet water is meeting all the stipulated norms by the CPCB for the parameters like pH, TDS, TSS, BOD and Oil &amp; Grease.</li> <li>STP water analysis report summary attached as Annexure-1</li> </ul>

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

Period: October 2024 to March 2025

11	esent Status. Running Flant	reflod: October 2024 to Waren 2025		
6	The overall noise levels in and around the plant area shall be limited within the prescribed standards (85dBA) by providing noise control measures including acoustic hoods, enclosures and silencers etc. on all source of noise generation.	<ul> <li>Complied.</li> <li>The overall noise levels in and around the plant area is kept within the standards (85 dBA) by providing acoustic hoods, enclosures and silencers etc., on all source of noise generation.</li> <li>Sign boards are placed at high noise areas to caution workers working in the area. Necessary PPE is given to employees to prevent high noise exposure. The regular noise levels are being monitored and communicated to respective section in charges for necessary action.</li> <li>Further the noise levels are monitored at 10 locations during day and night time through MOEF&amp;CC recognized third party laboratory accredited by NABL on monthly basis and the levels are within the limits as per the reports.</li> <li>Ambient noise monitoring reports enclosed as Annexure-3</li> </ul>		
7	Proper housekeeping and occupational health programs shall be taken up. Regular occupational health surveillance programs shall be carried and records shall be maintaining properly for at least 30-40 years. The program shall include Lung function and sputum tests once in Six months. Sufficient preventive measures shall be adopted to avoid direct exposer to Dust.	<ul> <li>Complied.</li> <li>We have deployed 2 high volume sweeping machines for roads cleaning in plant and colony to keep always neat and clean.</li> <li>We have carrying out pre-employment medical tests and periodical medical test checkup which covers Lung function and sputum test as per Factory act and taken all possible preventive measures direct exposure to dust. Personal dust exposure monitoring is being carried out and appropriate measures taken.</li> <li>Medical records are being maintained for stipulated time.</li> </ul>		

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

Period: October 2024 to March 2025







#### **Occupational Health Centre**

A separate Environment manage cell with full-fledged laboratory facilities to carry out for various management and monitoring functions shall be setup under the control of senior executive.

#### Complied.

- Environment management cell established and deputed senior executive to take care of Cell reporting directly unit head. We have stack monitoring kit, Piezo meters for ground water table measurement, Noise dosimeter, Personal dust exposure monitoring kit, Sound level meter, Lux meter to monitor and manage Air, Water and Noise quality parameters.
- We have also deployed NABL accredited third party Laboratory to monitor Stack, Ambient Air and Water, Noise, STP inlet and outlet water quality on monthly basis.

8

Period: October 2024 to March 2025

-		
9	As proposed in the EIA/EMP 31.05 crores and 4.28 crores/annum earmarked to meet the capital and recurring cost per annum respectively for the Environmental protection measures shall be used judiciously to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds so provided shall not be diverted for any other purpose.	<ul> <li>Complied and agrees to comply</li> <li>We have already spent 70 Cr. towards capital cost installing various pollution control devices. An amount of Rs.3 crore spent as recurring cost for the period of October 2024 to March 2025 for Environmental protection measures. The funds are being used judiciously for Environment protection.</li> <li>The fund allocated to Environment protection shall not diverted to for any other purpose.</li> </ul>
10	The concerned regional/State Pollution Control Board /Central Pollution Control Board shall monitor the implementation of the stipulated conditions. Six monthly compliance status report and monitoring data along with statistical interpretation shall be submitted them regularly.	<ul> <li>Complied.</li> <li>Six-month compliance report and Monitoring Data is being submitted regularly.</li> </ul>
11	The project proponent should advertise in at least two local newspapers widely circulated in the region around the project, one of the which shall be in the vernacular language of locality concerned informing that the project has been accorded Environmental clearance by Ministry and copies of the clearance letter shall be available with SPCB /Committee and may also be seen at website of Ministry and Forest at http://envfor.nic.in. The advertisement should be made within 7 days from the date of issue of clearance letter and the copy of same should be forwarded to the ministries regional office at Bangalore.	Complied.  • Public notice has been published in Enaadu daily newspaper (Local Lang) Deccan Chronicle (English lang.). Copies have already been submitted along with earlier compliance.

Letter No. J-11011/76/2007- IA. II (I)(T), Dated: 5th April ,2007

**Present Status: Running Plant** 

#### Annexure-1

Period: October 2024 to March 2025

	Dalmia Cement (B) Limited, C	Chinnakomerl	a(vi), Myl	lavaram(ı	n), YSR (	dist.)			
	Half yearly (Oct 2024 to March 20	025) Stack Em	ission and	d Ambien	t Air Qu	ality Data	9		
SL.N			Nov-	Dec-	Jan-	Feb-	Mar-		
0	STACK NAME	Oct-24	24	24	25	25	25	Average	
1	Cooler Emission (mg/Nm3)		9.1	18	26	7.1	14.3	15	
2	Raw Mill/Kiln Emission (mg/Nm3)	Plant	5.4	8.2	17.6	6.9	22.4	12	
	Raw Mill/Kiln Emission Sox (mg/Nm3)	Shutdown	3	19	25	23	42	22	
	Raw Mill/Kiln Emission NOx (mg/Nm3)	Jilataoviii	190	379	272	618	605	413	
3	Coal Mill Emission (mg/Nm3)		6.5	9.3	6.5	22.2	13.3	12	
4	Cement Mill Emission (mg/Nm3)	17.9	18.3	7.8	8.5	20.9	24.6	16	
		AMBIEN	T AIR						
1	SO2 (μg/m3)	10.3	10.3	11.2	10.9	12.2	10.9	11	
2	NOx (μg/m3)	21.8	21.2	21.6	21.5	22.8	22.5	22	
3	PM 10 (μg/m3)	59.2	61.4	62	60.1	65.2	59.8	61	
4	PM 2.5 (μg/m3)	27.5	29.3	30.6	28.6	30.8	29.4	29	
	STP Water Quality								
	INLET								
1	PH	7.2	7.16	7.2	7.4	7.24	7.29	7	
2	TDS (mg/l)	1480	1450	1442	1480	1480	1464	1466	
3	TSS (mg/l)	21	120	45	26	24	10	41	
4	BOD (mg/l)	100	80	220	60	50	16	88	
5	Oil Grease(mg/l)	4	15	10	4	4	4	7	
6	Faecal Coliform (MPN/100ml)	1600	1600	1600	1600	1600	1600	1600	
		OUTI	.ET				.,		
1	PH	7.5	7.2	7.2	8.9	7.2	7.19	8	
2	TDS (mg/l)	1524	1375	1334	1420	1390	1422	1411	
3	TSS (mg/l)	16	15	18	6.8	3.2	18	13	
4	BOD (mg/l)	14	7	5.6	8	6	7	8	
5	Oil & Grease(mg/l)	4	4	4	4	4	4	4	
6	Faecal Coliform (MPN/100ml)	40	20	70	70	40	46	48	
		DG Sets St	ack Data						
1	Raw mill (625 KVA) (gr-kw/hr)			0.01			0.009	0.01	
2	Cement Mill (625 KVA) (gr-kw/hr)			0.011			0.009	0.01	
3	RMH (250 KVA) (g-kw/hr)			0.009			0.008	0.01	

Period: October 2024 to March 2025

•

Present Status: Running Plant

# Annexure-2 (2024-25). The CSR Expenditure details of M/s Dalmia Cement (Bharat) Limited <u>Chinnakomerla, Kadapa- Dist., AP.</u> (October-2024 to March-2025).

Year	Activity Head	Expenses (Rs)	Remarks
	I. SKILL & LIVELIHOOD		
	Gram Parivartan Project	1895555	
	2. Diksha Project	693945	
2024-25	II. SOCIAL DEVELOPMENT		
(October-24 to March-25)	Well Wall Construction	179280	
	2. Event and Day Celebration	10316	
	3. Bore well and Pipe Line	620000	
	4. Medical Camp_EYE Camp	1520	
	Grand Total	3400616	

**Present Status: Running Plant** 

Period: October 2024 to March 2025

#### Annexure-3

		Half Yearly	/ Ambient /	Noise Data	(dBA)				
Period: October 2024 to March 2025									
Location	Month	Oct-24	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Average	
Mine Gate	DAY	55.8	71.2	61.6	59	69.5	67.6	64.1	
Mille Gate	NIGHT	52.7	65.9	55.8	58	64.7	63.8	60.2	
Cata Na 2 (Outoida)	DAY	69.5	64.7	67.6	67.3	69.7	69.9	68.1	
Gate No.2 (Outside)	NIGHT	63.9	61.9	65.6	63.8	65.8	66.8	64.6	
Vairom Nagar Cata	DAY	55	59.1	60.3	61	64.2	60.6	60.0	
Vajram Nagar Gate	NIGHT	52.5	54.4	55.6	57.7	61.2	54.2	55.9	
Colony Aron	DAY	59.5	58.6	60.6	65.2	60.1	57.5	60.3	
Colony Area	NIGHT	52.6	53	56.6	57.3	57.1	52.5	54.9	
Sec. Gate 1	DAY	68.5	56	68.2	69.4	70.5	67	66.6	
Sec. Gale 1	NIGHT	52.7	52.4	58.9	65.5	66.3	63	59.8	