RAJPUTANA PROPERTIES PRIVATE LIMITED

11th & 12th Floor, Hansalaya, 15, Barakhamba Road, New Delhi – 110001 Phone: 91 11 23465100, Fax: 91 11 23313303

Date: 27.11.2023

Deputy Inspector General of Forests Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Jaipur, A-218 & B 216, Aranya Bhawan, Mahatma Gandhi Road, Jhalana Institutional Area, Jaipur, Rajasthan – 302004

Sub.: - Limestone mine with proposed production capacity of 5.4 Million TPA of limestone by M/s Rajputana Properties Pvt. Ltd. (A wholly owned subsidiary of Dalmia Cement (Bharat) Ltd.) located near village Mangrol, Sathkhanda, Bhawaliya, Rampura, Bamaniya & Muruliya Taluk Nimbahera, District Chittaurgarh in Rajasthan (ML Area:701.268 ha), EC Compliance-reg.

Ref: Environment Clearance from MOEF, New Delhi, F. No. J-11015/384/2013- IA II (M) dated 11th Feb., 2016

Dear Sir,

То

In reference to above subject matter and referred letter, we are herewith submitting herewith the point wise Half-Yearly Compliance report of conditions laid down in Environment Clearance for the period from **April**, **2023 to September**, **2023** for your kind perusal and record.

We would like to mention that mine is not under operation as we are waiting for orders from State Govt. for grant and execution of ML.

Thanking You Yours Faithfully For Rajputana Properties Pvt. Ltd.

(Harrhit Singh Sethi) Director Encl: As Above

CC: To,

- 1) The Regional Officer, Rajasthan State Pollution Control Board, Near FCI Godown, Chanderiya, Chittorgarh, Rajasthan
- 2) The In-charge, Central Pollution Control Board (CPCB- Central zone), 4th Floor, Sahkar Bhawan, North T.T. Nagar, Bhopal 462 003.

Environmental Clearance Compliance Half Yearly Report

HALF YEARLY COMPLIANCE REPORT- April 2023 to September 2023

Ref: *MOEF, New Delhi Environment Clearance F. No. J-11015/384/2013- IA II (M) dated 11th Feb, 2016* Name of the Company: Rajputana Properties Pvt. Ltd. (Subsidiary of Dalmia Cement (Bharat) Ltd.)

Name of the Project: Limestone mine with proposed production capacity of 5.4 Million TPA of limestone by M/s Rajputana Properties Pvt. Ltd. (A wholly owned subsidiary of Dalmia Cement (Bharat) Ltd.) located near village(s) Mangrol, Sathkhanda, Bhawaliya, Rampura, Bamaniya & Muruliya Taluk Nimbahera, District Chittaurgarh in Rajasthan (MLA:701.268 ha).

Mine is not under operation as it is yet to be executed and no activity has been initiated at site.

| Sn | Conditions | Compliance Status |
|------|---|---|
| Α. | Specific Conditions | |
| i. | Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court of Rajasthan, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project. | Noted. |
| ii. | Environmental clearance is subject to obtaining clearance, if any, under the Wildlife (Protection) Act, 1972 from the Competent Authority, as may be applicable to this project. | Complied. As per the TOR conditions, a Wild Life Conservation Plan has been prepared for Schedule-I species reported to be observed in the study area. The same has been approved by Chief Wild Life Warden, Jaipur, Rajasthan vide letter no Misc/CWLW/5555 dated 20 th Sept. 2013. Recommendation of the same shall be implemented as per the approved schedule. |
| iii. | No mining activities will be allowed in forest area, if any, for which the Forest Clearance is not available. | No forest area involved in the project area. Hence, not applicable. |
| iv. | The Project Proponent shall obtain Consent to Operate from the State Pollution Control Board, Rajasthan and effectively implement all the conditions stipulated therein. | Noted for Compliance. |
| ν. | Mining activity shall only be commenced after taking necessary approval from the CGWA. | Noted for Compliance. In this context we had also moved an application to the Central Groundwater Authority/Central Ground Water Board, Ministry of Water Resources, Govt. of India to permit us extraction of groundwater vide our letter dated 16-10-2012, 09-07-2013 and 21-08-2015 through District Collector, Chittorgarh. The Central Ground Water |

| Sn | Conditions | Compliance Status |
|------|---|---|
| | | Authority have expressed limitation to permit us withdrawal of groundwater for Industrial use as the proposed project falls in Nimbahera Block of District Chittorgarh which stands notified for the purpose of regulation of ground water Development vide Notification dated 27 th Nov. 2012. |
| | | Now, as an alternate to meet the water requirement for the said project, it is proposed to source the water from Gambhiri Reservoir. Gambhiri Water Reservoir is situated about 4.5 km from our proposed project site in East direction. An application has been submitted to Water Resource Department, Jaipur dated 12 th May, 2014. The same was recommended to Irrigation Department, Jaipur, Rajasthan by Department of Industries, Chittorgarh on dated 21 st Sept. 2016. Permission is awaited. |
| vi | Proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and maintain records accordingly; also, Occupational health check-ups for workers having some ailments like BPI diabetes, habitual smoking, etc. shall be undertaken once in six months and necessary remedial/preventive measures taken accordingly. The Recommendations of National Institute for ensuring good occupational environment for mine workers shall be implemented; The prevention measure for burns, malaria and provision of anti-snake venom including all other paramedical safeguards may be ensured before initiating the mining activities. | Noted for Compliance during operation. |
| vii | Implementation of Action Plan on the issues raised during the Public Hearing shall be ensured. The PP shall complete all the tasks as per the Action Plan submitted with budgetary provisions during the Public Hearing. | Noted for Compliance. Action plan, on the issues raised during the Public Hearing and for Social development of the region, will be implemented as per the plan submitted. Issues raised during Public Hearing and action plan with budgetary provisions had been submitted to MOEF&CC during appraisal of the project for grant of EC. |
| viii | The mining operations shall be restricted to above ground water table and it should not intersect groundwater table. In case of working below ground water table, prior approval of the Ministry | Noted for Compliance during operation. A detailed Hydro-geological study has been conducted and report submitted to MoEF&CC & CGWA. As per the study report |

| Sn | Conditions | Compliance Status |
|------|---|--|
| | of Environment, Forest and " Climate Change and Central Ground Water Authority shall be obtained, for which a detailed hydro-geological study shall be carried out; The Report on six monthly basis on changes in Ground water level and quality shall be submitted to the Regional Office of the Ministry. | and IBM approved mining plan, ground water table will not be intersected during mining operations. |
| ix | The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicles with PUCC only will be allowed to ply. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Project should obtain 'PUC' certificate for all the vehicles from authorized pollution testing centres. | Noted for Compliance during operation. |
| х. | There shall be planning, developing and implementing facility of rainwater harvesting measures on long term basis in consultation with Regional Director, Central Groundwater Board and implementation of conservation measures to augment ground water resources in the area in consultation with Central Ground Water Board. | Noted for Compliance. A Comprehensive Hydrogeological Study including Rainwater Harvesting & Water Resources Evaluation in & around proposed integrated project have been carried out to explore the various possibilities to harvest rain water and recharge the ground water. The same has been submitted to MoEF&CC and CGWA and recommendation of the study shall be implemented during operation. |
| xi. | Use of effective sprinkler system to suppress fugitive dust on haul roads and other transport roads shall be ensured. | Noted for Compliance during operation. |
| xii. | Washing of all transport vehicles should be done inside the mining lease. | Noted for compliance during operation. |
| xiii | Implementation of Environment Management Policy of the Company w.r.t. judicious use of Mineral resources for growth & development synchronizing mining & environment with prosperity. | Noted for compliance during operation. |
| xiv | Three Schedule I species namely Indian Monitor, Sloth Bear and Common Leopard are reported. A Wild Life Conservation Plan for Schedule-I species has been prepared & duly authenticated and approved by Deputy Conservator of Forest, Chittaurgarh, CCF (WL), Udaipur and Chief Wild Life Warden, Jaipur, Rajasthan vide letter Misc./CWLW/5555 dated 20.09.2013. Project Proponent informed that an amount of Rs. 160 Lakhs is proposed for implementation of Wild Life | Noted for compliance. Wild Life Conservation Plan for Schedule-I species approved by the Deputy Conservator of Forest, Chittaurgarh, CCF (WL), Udaipur and Chief Wild Life Warden, Jaipur, Rajasthan vide Letter Misc./CWLW/5555 dated 20.09.2013 shall be implemented for conservation of Flora/Fauna in the study area. The approved conservation plan shall be |

| Sn | Conditions | Compliance Status |
|-------|---|--|
| | conservation and Eco-management plan. The Project Proponent shall implement the Conservation Plan and also take all precautionary measures during mining operation for conservation and protection of endangered flora/fauna, if any, spotted in the study area. | implemented and also all precautionary measures shall be taken during mining operation for conservation and protection of endangered flora/fauna, if any, spotted in the study area. |
| xv | The illumination and sound at night at project site, disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. Project Proponent must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light night hours. | Noted for Compliance during operation of mine. |
| xvi | Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. | Noted for Compliance during operation. Necessary provisions have been provided in EMP and all arrangements shall be made along with the start of mine development activities. |
| xvii | Transportation of the minerals by road passing through the village shall not be allowed. A 'bypass' road should be constructed (say, leaving a gap of at least 200 meters) for the purpose of transportation of the minerals so that the impact of sound, dust and accidents could be mitigated. The Project Proponent shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the Project. No road movement should be allowed on existing village road network without appropriately increasing the carrying capacity of such roads. | Noted for Compliance during operation. |
| xviii | Likewise, Alteration or re-routing of foot paths, pagdandies, cart roads, and village infrastructure/public utilities or roads (for purposes of land acquisition for mining) shall be avoided to the extent possible and in case such acquisition is inevitable, alternative arrangements shall be made first and then only the area acquired. In these types of cases, Inspection Reports by site visit by experts may be insisted upon which should be done through reputed Institutes. | Noted for Compliance during operation of mine. |
| xix | CSR activities by Companies including the Mining Establishments has become mandatory up to 2% of their financial Turn-over, Socio Economic | Noted for Compliance. A detailed CSR programme for 10 years of operation of project has been prepared |

| Sn | Conditions | Compliance Status |
|------|---|---|
| | Development of the neighborhood Habitats could be planned and executed by the Project Proponent more systematically based on the 'Need based door to door survey' by established Social Institutes/Workers. The report shall be submitted to the Ministry of Environment & Forest and its Regional Office located at Lucknow on six monthly basis. | based on Need based assessment study, participatory rural appraisal involving door to door survey and submitted to MoEF&CC in EIA/EMP during appraisal of the project. The same shall be implemented after commencement of the integrated project in consultation with the local communities and administration. The report shall be submitted to the Ministry of Environment & Forest and its Regional Office located at Lucknow on six monthly basis after operation of the proposed project. |
| XX | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project. | Noted for compliance during site development activities. It's a mining project and no major construction activities will be involved except construction of a mine office. |
| ххі | A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forest & Climate Change 5 years in advance of final mine closure for approval. | Noted for Compliance. |
| В | GENERAL CONDITIONS | |
| i. | No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment, Forest & Climate Change. | Noted. |
| ii. | No change in the calendar plan including excavation, quantum of mineral and waste should be made. | Noted. |
| 111. | The Project Proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project. | Noted for Compliance. An application has been submitted to Water Resource Department, Jaipur dated 12 th May, 2014. The same was recommended to Irrigation Department, Jaipur, Rajasthan by Department of Industries, Chittorgarh on dated 21 st Sept. 2016. Permission is awaited. |
| iv. | Regular monitoring of ground water table to be carried out at the upstream and depth of water available in the dug well is to be measured. Monitoring to be done by establishing a network of existing wells and constructing new piezometers. | Noted for Compliance during operation. |

| Sn | Conditions | Compliance Status |
|------|---|--|
| V. | Monitoring of Ambient Air Quality to be carried out based on the 2009 Notification, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions. | Noted for Compliance during operation. |
| vi | The upliftment of scheduled caste/scheduled tribe population, specific programmes have been taken in to consideration specially with respect to education, health care, livelihood generation, infrastructure development & promotion of sports & culture for SC/ST population and that these will be intensified in future. | Noted for Compliance.AComprehensiveSocio-Economicdevelopmentprogrammehasbeenprepared based on Need Based AssessmentStudy, Participatory Rural Appraisal involvingdoor to door survey and same shall beimplemented during operation. |
| Vii | The top soil, if any, shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation. The over burden (08) generated during the mining operations shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time. The maximum height of the dumps shall not exceed 8m and width 20 m and overall slope of the dumps shall be maintained to 45'. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled and afforested. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self- sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest & Climate Change and its Regional Office located at Lucknow on six monthly basis. | Noted for Compliance. Top Soil excavated shall be dumped at earmarked place and shall be regularly utilized for green belt development. It will be spread along the ML boundary and plantation will be done on it. As proposed in EIA/EMP report which was prepared in line with the IBM approved mining plan, the max height of the soil dump will be 20 m with 2 terraces at every 10 m height, the max height of the overburden will be 30 m with 3 terraces at every 10 m height and the max height of the subgrade dump will be 37 m with 4 terraces at every 10 m height. The overall slope of the dumps shall be maintained to 45 ⁰ . Top soil shall also be spread on dumps and plantation (native species) shall be carried out on the dump & slope of the dump for its stability & prevention from erosion and weathering. An application for correction shall be made once the mining lease is executed. |
| viii | Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. The drains, settling tanks and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and over | Noted for Compliance. Garland drain and settling ponds will be constructed as proposed in the IBM Approved Mining Plan. The over burden dumps will be located as proposed in the IBM approved mining plan. |

| Sn | Conditions | Compliance Status |
|-----|---|--|
| | burden dumps to prevent run off of water and flow of sediments directly into the river and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals. | |
| ix. | Plantation shall be raised in a 7.5m wide green belt in the safety zone around the mining lease, backfilled and reclaimed area, around water along the roads etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years. | Noted for Compliance. Plantation/Greenbelt shall be done in the safety barrier zone, backfilled and reclaimed area, along road etc. Native species will be planted in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha. The phase wise plantation programme is earmarked to plant 37500 saplings over an area of 15 ha all along the periphery of the mining lease and in the Safety Zone with the native species. Greenbelt shall be developed all along the mine lease area in a phased manner and |
| х. | Dimension of the retaining wall at the toe of over burden dumps and 08 benches within the mine to check run-off and siltation shall be based on the rain fall data. | shall be completed within first five years. Noted for Compliance. |
| xi. | Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM ₁₀ and PM _{2.5} such as haul road, loading and unloading point and transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. | Noted for compliance during operation. |
| xii | Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained. Regular monitoring of water quality upstream and downstream of water bodies shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment, Forest & Climate Change, its Regional Office, Lucknow, Central Groundwater Authority, | There is no Perennial Nalla or River flowing in and around the mine lease. |

| Sn | Conditions | Compliance Status |
|------|--|---|
| | Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board. | |
| xiii | Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year - pre- monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to Ministry of Environment, Forest & Climate Change and its Regional Office, Lucknow, Central Ground Water Authority and Regional Director, Central Ground Water Board. | Noted for compliance during operation. |
| xiv | The critical parameters such as PM ₁₀ (size less than 10 micro meter), PM _{2.5} (size less than 2.5 micro meter), NOx in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The circular No. J-20012/1/2006-IA.II (M) dated 27.05.2009 issued by Ministry of Environment, Forest & Climate Change, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance. | Note for compliance. No waste water shall be discharged out of the ML boundary. The critical parameters such as PM ₁₀ , PM _{2.5} , NOx in the ambient air shall be monitored within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. The report shall be uploaded on the Company's website as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in Public domain. The circular No. J-20012/1/2006-IA.II (M) dated 27.05.2009 shall also be complied. |
| xv | Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for PM ₁₀ , PM _{2.5} , SO ₂ & NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. Data on ambient air quality should be regularly submitted to the Ministry including its Regional office located at Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months. | Noted for compliance. With the start of mining operation, Ambient Air Quality Monitoring Stations shall be established in consultation with the State Pollution Control Board and monitoring report shall be submitted accordingly. |
| xvi | Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading | Noted for compliance during operation. |

| Sn | Conditions | Compliance Status |
|-------|--|---|
| | and at transfer points should be provided and properly maintained. | |
| xvii | Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs. | Noted for compliance. Adequate measures, detailed in EIA/EMP and Mining plan, shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with ear plugs / muffs. |
| xviii | Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents. | Noted for compliance. Waste water from workshop shall be diverted to oil & grease trap and treated water shall be reused. Domestic Waste water from mine office shall be diverted to septic tank followed by soak pit. |
| xix | Personnel working in dusty areas should wear | Noted for compliance. |
| | protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. | Use of Personnel protective equipment shall be mandatory to all workers. Adequate training and information on safety and health aspects shall be given to the workers. |
| XX | Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. | Noted for compliance. With the start of mining operation, occupational health surveillance program shall be organized for workers on regular basis. If any contractions will be observed due to exposure to dust, corrective measures shall be taken immediately. |
| xxi | A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization. | Noted for compliance. A separate Environment Management Cell common for the Plant and Mine will be set up under the control of Senior executive and he will execute and implement the entire environmental management plan for the plant and mine. Senior executive will report to Unit Head directly. |
| xxii | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Lucknow. | Noted for compliance. Year wise expenditure shall be reported to the Ministry and IRO, Lucknow after the start of mining operation. |
| xxiii | The project authorities should inform to the Regional Office located at Lucknow regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work. | Noted for compliance. |

| Sn | Conditions | Compliance Status |
|------------|---|--|
| xxiv | The Regional Office of this Ministry located at Lucknow shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. | Noted for compliance. |
| XXV | The Project Proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment, Forest & Climate Change, its Regional Office, Lucknow, Central Pollution Control Board and State Pollution Control Board. | Noted for Compliance and being complied. |
| xxvi | The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment, Forest and Climate Change, its Regional Office, Lucknow, Central Pollution Control Board and State Pollution Control Board. | Noted for Compliance and being complied. |
| xxvii | A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. | Complied. |
| xxvii i | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days. | - |
| xxix | The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment, Forest & Climate Change at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Lucknow. | Complied. It was advertised on 14 th Feb. 2016 in two newspapers namely The Indian Express (English lang.) and Dainik Bhaskar (Hindi lang.). Copy of the same was already submitted along with the previous half yearly compliance report. A copy of the same had been forwarded to the Ministry's Regional Office at Lucknow. |
| 10. | The Ministry or any other Competent Authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection. | Agreed. |
| 11. | Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action | Agreed. |

| Sn | Conditions | Compliance Status |
|-----|--|-------------------|
| | under the provisions of the Environment (Protection) Act, 1986. | |
| 12. | The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Rajasthan and any other Court of Law relating to the subject matter. | Agreed. |
| 13. | Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010. | - |